

STEADY STATE AND DYNAMIC ANALYSIS AND
OPTIMIZATION OF SINGLE-STAGE POWER FACTOR
CORRECTION CONVERTERS

By

KHALID W. RUSTOM

B.S. Princess Sumaya University for Technology, 2000

M.S. University of Central Florida, 2002

A dissertation submitted in partial fulfillment of the requirements
for the degree of Doctor of Philosophy
in the Department of Electrical Engineering and Computer Science
in the College of Engineering and Computer Science
at the University of Central Florida
Orlando, Florida

Fall Term

2007

Major Professor: Issa Batarseh

UMI Number: 3377831

INFORMATION TO USERS

The quality of this reproduction is dependent upon the quality of the copy submitted. Broken or indistinct print, colored or poor quality illustrations and photographs, print bleed-through, substandard margins, and improper alignment can adversely affect reproduction.

In the unlikely event that the author did not send a complete manuscript and there are missing pages, these will be noted. Also, if unauthorized copyright material had to be removed, a note will indicate the deletion.



UMI Microform 3377831
Copyright 2009 by ProQuest LLC
All rights reserved. This microform edition is protected against
unauthorized copying under Title 17, United States Code.

ProQuest LLC
789 East Eisenhower Parkway
P.O. Box 1346
Ann Arbor, MI 48106-1346

© 2007 Khalid Rustom

ABSTRACT

With the increased interest in applying Power Factor Correction (PFC) to off-line AC-DC converters, the field of integrated, single-stage PFC converter development has attracted wide attention. Considering the tens of millions of low-to-medium power supplies manufactured each year for today's rechargeable equipment, the expected reduction in cost by utilizing advanced technologies is significant.

To date, only a few single-stage topologies have made it to the market due to the inherent limitations in this structure. The high voltage and current stresses on the components led to reduced efficiency and an increased failure rate. In addition, the component prices tend to increase with increased electrical and thermal requirements, jeopardizing the overarching goal of price reduction. The absence of dedicated control circuitry for each stage complicates the power balance in these converters, often resulting in an oversized bus capacitance. These factors have impeded widespread acceptance of these new techniques by manufacturers, and as such single stage PFC has remained largely a drawing board concept.

This dissertation will present an in-depth study of innovative solutions that address these problems directly, rather than proposing more topologies with the same type of issues. The direct energy transfer concept is analyzed and presented as a promising solution for the majority of the single-stage PFC converter limitations. Three topologies are presented and analyzed

based on this innovative structure. To complete the picture, the dynamics of a variety of single-stage converters can be analyzed using a proposed switched transformer model.

To my wife and parents
for their love, support, and inspiration

ACKNOWLEDGMENTS

I wish to thank all my professors who have contributed to the work presented in this dissertation. In particular, I would like to thank my advisor Dr. Issa Batarseh for our numerous discussions in which he provided the suggestions and the inspiration which made this work possible. In addition, I would like to express my gratitude to Drs. Chris Iannello, Weihong Qiu, and Shiguo Luo for spending many hours helping me. I also wish to thank the other members of my committee, Drs. John Shen, Takis Kasparis and Thomas Wu for serving on my committee and providing helpful comments.

Finally, I wish to thank my colleagues C. Jourdan, O. Abdel, and H. Al-Atrash for being there beside me at all times.

TABLE OF CONTENTS

LIST OF FIGURES.....	XI
LIST OF TABLES	XVII
CHAPTER 1 INTRODUCTION	1
1.1 Introduction.....	1
1.1 Definition of Power Factor and Harmonic Distortion.....	2
1.2 Harmonics Standards and Regulations.....	6
1.3 Classification of Power Factor Correction Approaches.....	10
1.4 Research Motivations.....	18
1.5 Dissertation Outline.....	20
CHAPTER 2 OVERVIEW OF SINGLE-STAGE POWER FACTOR CORRECTION TECHNIQUES.....	22
2.1 Introduction.....	22
2.2 Original Single-Stage Topologies.....	22
2.3 DC Bus Voltage Feedback.....	26
2.4 CCM Operation of the PFC Cell	29
2.5 Direct Energy Processing Approach.....	32
CHAPTER 3 IMPROVED ASYMMETRIC HALF-BRIDGE SOFT- SWITCHING PFC CONVERTER USING DIRECT ENERGY TRANSFER TECHNIQUES	42
3.1 Introduction	42
3.2 The Original Asymmetric Half-Bridge Converter	43
3.3 The Proposed Soft-Switching Topology	49

3.3.1	Principle of Operation	50
3.3.2	Steady-State Analysis	58
3.3.3	Design Curves.....	67
3.3.4	Design Examples	73
3.3.5	Simulation and Experimental Results	76
3.4	Summary	78
 CHAPTER 4 ANALYSIS, DESIGN, AND OPTIMIZATION OF THE BI-FLYBACK CONVERTER		80
4.1	Introduction	80
4.2	Principle of Operation	82
4.2.1	Flyback Operation Mode	85
4.2.2	Boost Operation Mode	89
4.3	Steady State Analysis	93
4.3.1	Duty Cycle.....	95
4.3.2	Intermediate Bus Voltage	95
4.3.3	DCM Condition for the PFC Cell	98
4.3.4	CCM Condition for the DC-DC Cell.....	98
4.4	Design Equations and Methodology	99
4.4.1	Main Equations and Design Curves	100
4.4.2	Stress Equations.....	110
4.4.3	Design Example.....	111
4.5	Simulation Results	112
4.6	Experimental Results.....	115
4.7	Summary	122

CHAPTER 5 AVERAGE MODELING AND AC ANALYSIS OF PFC CONVERTERS.....	124
5.1 Introduction	124
5.2 The Switched Transformer Model (STM) Principle of Operation	130
5.3 The Switched Transformer Model (STM) Operation Modes.....	133
5.4 Unified Model Equations	141
5.5 Average Modeling Applied to the Bi-Flyback Converter.....	147
5.6 Experimental Results.....	153
5.7 Summary	156
CHAPTER 6 ANALYSIS, DESIGN, AND OPTIMIZATION OF THE CENTER-TAPPED FLYBACK CONVERTER	158
6.1 Introduction	158
6.2 Principle of Operation	158
6.2.1 Mode 1 Operation	162
6.2.2 Mode 2 Operation	165
6.3 Steady State Analysis	170
6.3.1 Duty Cycle.....	171
6.3.2 Intermediate Bus Voltage	172
6.3.3 DCM Condition for the Input boost inductor	173
6.3.4 CCM Condition for the DC-DC Cell.....	174
6.4 Design Equations and Methodology	175
6.4.1 Main Equations and Design Curves.....	176
6.4.2 Stress Equations.....	185
6.4.3 Design Example.....	189
6.5 Simulation Results	191

6.6 Experimental Results.....	195
6.7 Summary	201
CHAPTER 7 SUMMARY AND FUTURE WORK	203
7.1 Summary and Conclusions	203
7.2 Future Research	208
LIST OF REFERENCES	210

LIST OF FIGURES

Figure 1-1 The European Standard (IEC) Divisions	7
Figure 1-2 Class D Special Waveform.....	10
Figure 1-3 General Structures of the Passive PFC Approaches	11
Figure 1-4 Power Waveforms Associated with Resister Emulator PFC Stage	12
Figure 1-5 System Configuration of Two-stage PFC Power Supply	13
Figure 1-6 System Configuration of Single-stage PFC Power Supply.....	15
Figure 2-1 the BIFRED Converter	23
Figure 2-2 Switching Frequency vs. Load Current	25
Figure 2-3 Single-stage Boost/Flyback Combination Circuit.....	26
Figure 2-4 Single-stage PFC converter: (a) Boost/Flyback with DC-bus Voltage Feed-back, (b) BIFRED with DC-bus Voltage Feed-back.....	27
Figure 2-5 Modes of Operations in the DC-bus Voltage Feedback Topologies...	29
Figure 2-6 Current Source CCM PFC Circuit	30
Figure 2-7 Effective Duty Cycle in Single-Stage PFC.....	31
Figure 2-8 Voltage Source CCM PFC Circuit	31
Figure 2-9 Power Relationship in Single-Phase PFC Converters.....	33
Figure 2-10 Block Diagram for the Direct PFC Scheme	35
Figure 2-11 Parallel Power PFC Converter.....	36
Figure 2-12 Single-switch PFC Converter with Inherent Load Current Feedback.....	37
Figure 2-13 Boundary Modes of Operation during Half-line Cycle	38
Figure 2-14 Energy Transfer Paths during the two Modes of Operation.....	39
Figure 2-15 Power flow Diagram of the Proposed Scheme	40

Figure 2-16 Basic Circuit Schematic of the AHBC Converter Proposed in Chapter 3.....	41
Figure 3-1 Half-Bridge Forward Converter.....	44
Figure 3-2 Switching Waveforms: (a) Symmetric witching, (b) Asymmetric switching	45
Figure 3-3 The DC-DC Conversion Characteristics of the Asymmetric converter.....	46
Figure 3-4 Asymmetric Half Bridge Forward Converter with unbalanced magnetic and current doubler	47
Figure 3-5 M vs. D for the Asymmetric Converter with Unbalanced Magnetics	48
Figure 3-6 Single Capacitor Asymmetric Converter	49
Figure 3-7 Basic circuit schematic of the proposed Asymmetric Converter...	51
Figure 3-8 Regions of Operation During one Line Cycle.....	52
Figure 3-9 Equivalent Topologies for the Three Switching Modes.....	57
Figure 3-10 Operation Waveforms	58
Figure 3-11 Power Flow over the Line Period	60
Figure 3-12 MathCAD Numerical Solve Block.....	69
Figure 3-13 M vs. D under different τ_n values.....	70
Figure 3-14 M vs. D under different n_2 values	71
Figure 3-15 M vs. D under different n_1 values	71
Figure 3-16 Storage capacitor voltage of the converter.....	72
Figure 3-17 Numerical Solution for n_1 vs. τ_n	74
Figure 3-18 Simulation Waveforms of the Proposed Converter, First trace: Line Voltage, Second trace: Input Current, Third trace: Flyback Current, Fourth trace Output Inductor Current	77
Figure 3-19 Line current (upper trace) and Line voltage (lower trace).....	77
Figure 3-20 Efficiency versus Line voltage.....	78

Figure 4-1 BIFRED Topology for Single-stage PFC Applications	81
Figure 4-2 The Bi-flyback Topology	83
Figure 4-3 Modes of Operation during a Line Cycle.....	84
Figure 4-4 Equivalent Circuits for the Three Intervals during the Flyback Mode	86
Figure 4-5 Key Waveforms during Flyback Mode Operation	87
Figure 4-6 Equivalent Circuits for the Three Intervals during the Boost Mode	91
Figure 4-7 Key Waveforms during Boost Mode Operation	91
Figure 4-8 Power Flow Over a line cycle.....	94
Figure 4-9 Direct Transferred Power to the Output during Line Cycle	100
Figure 4-10 MathCAD Solve Block	103
Figure 4-11 Bus Capacitor Voltage versus n_1 for Different P_D Values.....	105
Figure 4-12 Average Power Percentage Directly Delivered to the Output versus n_1 for Different P_D Values	105
Figure 4-13 RMS value of the Switch Current versus n_1 for Different P_D Values	106
Figure 4-14 THD versus n_1 for Different P_D Values.....	107
Figure 4-15 PF versus n_1 for Different P_D Values	107
Figure 4-16 L_{m1} versus n_1 for Different P_D Values	108
Figure 4-17 L_{m2} versus n_1 for Different P_D Values	109
Figure 4-18 n_2 versus n_1 for Different P_D Values	109
Figure 4-19 Simulation Schematics for the Bi-flyback Converter	113
Figure 4-20 Simulation Waveforms during the Flyback Mode.....	114
Figure 4-21 Simulation Waveforms during the Boost Mode.....	114
Figure 4-22 Input Current Simulation Waveforms over Switching Cycles..	115

Figure 4-23 Measured Efficiency versus Output Power at 110Vrms	118
Figure 4-24 Measured Bus Voltage versus Output Power at 110Vrms.....	118
Figure 4-25 Measured Efficiency when the Input Voltage Varies between 85-220Vrms at Rated Output Power	119
Figure 4-26 Measured Bus Voltage versus Input Voltage at Rated Output Power	119
Figure 4-27 Measured Power Factor versus Input Voltage at Rated Output Power	120
Figure 4-28 Measured Input Current at rated Output Power, 110Vrms.....	120
Figure 4-29 Measured output voltage (AC coupled) at rated power, 110Vrms..	121
Figure 4-30 Measured output voltage (AC coupled) at rated power, 180Vrms..	121
Figure 5-1 Switch Models (a) PWM Switch, (b) GSIM	126
Figure 5-2 The Bi-flyback PFC Converter	128
Figure 5-3 The Proposed Five-terminal Switched Transformer Model	129
Figure 5-4 Flyback versus Boost Operation.....	132
Figure 5-5 Time Duration Definition of the Proposed Model.....	133
Figure 5-6 Primary and Secondary Current Waveforms in the Flyback and Boost Modes.....	141
Figure 5-7 Average Model implementation in Pspice	147
Figure 5-8 Operational Modes of the Bi-flyback Converter during One Line Period.....	148
Figure 5-9 The Bi-flyback PFC Converter Switching and Average Simulation Models.....	149
Figure 5-10 The Bi-flyback PFC Converter Simulation Results.....	151
Figure 5-11 Control to Output (V _o /d) Frequency Response Simulation Results Bi-Flyback by Average Model.....	153

Figure 5-12 Experimental Control to Output Voltage (V_o/d) Frequency Response measured for the Bi-flyback PFC converter	155
Figure 5-13 Frequency Response Measurement Setup	156
Figure 6-1 The Center-Tapped Flyback Topology	160
Figure 6-2 Modes of Operation during a Line Cycle.....	161
Figure 6-3 Equivalent Circuits for the Three Intervals during Mode 1	163
Figure 6-4 Key Waveforms during Mode 1 Operation.....	164
Figure 6-5 Equivalent Circuits for the Three Intervals during Mode 2	167
Figure 6-6 Key Waveforms during Mode 2 Operation.....	168
Figure 6-7 Average Input Current during Line Cycle.....	174
Figure 6-8 Average Flyback Magnetizing Current during Line Cycle	175
Figure 6-9 MathCAD Solve Block	177
Figure 6-10 THD versus N_p for Different N Values	179
Figure 6-11 PF versus N_p for Different n Values	180
Figure 6-12 Direct Energy Transferred to the Output over Half Line Cycle	181
Figure 6-13 Direct Energy Transferred to the Output versus N_p for Different n Values	182
Figure 6-14 Main Switch Conduction Losses versus N_p for Different n Values	183
Figure 6-15 L_{in} Energy versus N_p for Different n Values.....	184
Figure 6-16 L_m Energy versus N_p for Different n Values.....	184
Figure 6-17 Zoomed-in from Figure 6-16	185
Figure 6-18 Maximum Switch Current during a Line Cycle	186
Figure 6-19 MOSFET and Diode Voltage Stress versus N_p	187
Figure 6-20 MOSFET Peak Current Stress versus N_p for Different n Values... ..	188

Figure 6-21 MOSFET Estimated Switching Losses versus N_p for Different n Values	189
Figure 6-22 Circuit Schematics of the Simulated Center-tapped Flyback Converter.....	192
Figure 6-23 Simulation Waveforms during Mode 1 Operation.....	193
Figure 6-24 Simulation Waveforms during Mode 2 Operation.....	193
Figure 6-25 Simulation Waveforms during Line Cycle.....	194
Figure 6-26 Simulation Result for the filtered Input Current Waveform....	194
Figure 6-27 Measured Efficiency versus Output Power for 110Vrms and 220Vrms Input Voltages	198
Figure 6-28 Measured Efficiency when the Input Voltage Varies between 85-265Vrms at Rated Output Power	198
Figure 6-29 Measured Bus Voltage versus Output Power for 110Vrms and 220Vrms Input Voltages	199
Figure 6-30 Measured Bus Voltage when the Input Voltage Varies between 85-265Vrms at Rated Output Power	199
Figure 6-31 Measured Power Factor when the Input Voltage Varies between 85-265Vrms at Rated Output Power	200
Figure 6-32 Input Current Waveform at 110Vrms under Full Load.....	200
Figure 6-33 Input Current Waveform at 220Vrms under Full Load.....	201

LIST OF TABLES

Table 1-1 Harmonic Emission Limits for IEC 61000-3-2 and IEC 555-2	8
Table 1-2 Relative Performance Comparison of Three PFC Approaches	18
Table 3-1 Switching Modes: time intervals and status of devices	51
Table 4-1: Bi-flyback Design Specifications	111
Table 4-2: Bi-flyback Design Example Calculation Results.....	112
Table 4-3: Prototype Measurement Results for 110Vrms Input Voltage	117
Table 4-4: Prototype Measurement Results when the Input Voltage is changed from 85-220Vrms	117
Table 5-1 Converter Specification and Performance	154
Table 6-1: Center-tapped flyback Converter Design Specifications	189
Table 6-2: Summary of Design Results	191
Table 6-3: Experimental Testing Data at 110Vrms	196
Table 6-4: Experimental Testing Data at 110Vrms	197
Table 6-5: Experimental Testing Data between 85-265Vrms	197

CHAPTER 1 INTRODUCTION

1.1 Introduction

In recent years, new regulations have fostered interest in Power Factor Correction (PFC) techniques. The demand for PFC has been increasing for today's off-line power supplies and even those at low power levels. The off-line AC-DC power converters employed in most of today's electrical equipment have been a significant source of harmonic distortion drawing distorted current waveforms, polluting the mains, and thereby degrading power quality. Today, a manufactured converter should satisfy acceptable power quality metrics. Power quality issues have always been a significant topic in power engineering, but, in recent years, this topic has drawn a special attention due to the increased use of high performance electronic devices [1, 2].

The majority of the Modern PFC converters either utilize a simple and economical passive filtering technique (low power), which cannot meet the full range of power quality requirements, or use an additional front-end converter for the PFC function (resulting in a two stage approach). With the help of advanced research in this field, a new approach attracted more attention, namely the integrated single-stage converters. By integrating the two-stage converter into a single-stage, which performs both the PFC and DC-DC conversion simultaneously, this new field promises regulation

compliant converters that cost less, are more reliable by using fewer components, and employ a simpler structure.

The research proposed for this dissertation is intended to assist the development of new, advanced AC-DC power converters with PFC to be used mainly in low power applications. Referring to the standards and regulations on harmonic emission, these converters are classified as Power Factor Correction (PFC) AC-DC converters. In this Chapter, the definition of power factor and harmonic distortion will be reviewed, followed by a summary of the effects of power electronics pollution. After which, the new power quality regulations will be summarized. In addition, the motivation and research objectives will be introduced at the end of this chapter.

1.1 Definition of Power Factor and Harmonic Distortion

During the transmission and distribution of electrical power, the utility voltage waveform maybe distorted by a number of factors, some of which occur within the customer's own installations. This waveform distortion, when steady state and periodic, is a result of harmonic and means the voltage waveform is no longer a perfect sinusoid. In the development that follows, this distortion will be expressed mathematically. If we assume a periodic waveform, $f(t)$, then the Fourier series expansion representation for this waveform will be [3],

$$\begin{aligned}
f(t) &= F_0 + f_1(t) + f_2(t) + \dots + f_n(t) \\
&= F_0 + \sum_{n=1}^{\infty} (a_n \cos n\omega t + b_n \sin n\omega t)
\end{aligned} \tag{1.1}$$

where, F_0 represents the average (DC) value of $f(t)$, n represent the order of the harmonic and the coefficient a_n and b_n are evaluated from the following integrals,

$$a_n = \frac{2}{T} \int_0^T f(t) \cos n\omega t dt \quad n = 1, 2, 3, \dots, \infty \tag{1.2}$$

$$b_n = \frac{2}{T} \int_0^T f(t) \sin n\omega t dt \quad n = 1, 2, 3, \dots, \infty \tag{1.3}$$

where T is the period of the waveform and equal to $2\pi/\omega$.

The definition of the power factor is the ratio of the real power (average) to the apparent power, as described in Eq. (1.4).

$$PowerFactor (PF) = \frac{Real\ Power(Average)}{Apparent\ Power} \tag{1.4}$$

In practice, power electronics systems have nonlinear behavior due to switching devices. Applying the definition of power factor to a distorted current and voltage we can express the power factor as,

$$PF = \frac{\frac{1}{T} \int_0^T v(t)i(t)dt}{\sqrt{\frac{1}{T} \int_0^T v(t)^2 dt} \sqrt{\frac{1}{T} \int_0^T i(t)^2 dt}} = \frac{\sum_{n=1}^{\infty} I_{sn,rms} V_{sn,rms} \cos \theta_n}{I_{s,rms} V_{s,rms}} \quad (1.5)$$

where, $V_{sn,rms}$ and $I_{sn,rms}$ are the *rms* values of the n^{th} harmonic voltage and current, respectively, and θ_n is the phase shift between the n^{th} harmonic voltage and n^{th} harmonic current.

For off-line power supplies where the input voltage is almost a purely sinusoidal, Eq. (1.5) can be further simplified to,

$$PF = \frac{I_{s1,rms}}{I_{s,rms}} \cos \theta_1 = k_d \cdot k_\theta \quad (1.6)$$

where,

$I_{s1,rms}$: *rms* value of the fundamental component in line current;

$k_d = I_{s1,rms} / I_{s,rms}$: distortion factor;

$k_\theta = \cos \theta_1$: displacement factor.

Another important term that is used to measure the quality of the waveform is the *Total Harmonic Distortion* (THD). Again assuming the typical nearly sinusoidal voltage input, the input current THD, is defined as:

$$THD_i = \sqrt{\frac{\sum_{n=2}^{\infty} I_{sn,rms}^2}{I_{s1,rms}^2}} = \sqrt{\frac{1}{k_d^2} - 1} \quad (1.7)$$

There are many negative effects caused by the existence of the harmonic content. This distortion has several detrimental effects, including but not limited to the following:

- Heat and losses: the current harmonics cause an increase in the copper losses (conduction), and the voltage harmonics result in an increase in iron losses (core magnetic).
- Inefficient power utilization: the current harmonics increase the *rms* value of the total current but they do not deliver any real power in Watts to the load, resulting in inefficient use of capacity and unnecessary over rating of the distribution.
- Protection failure and safety risks: Fuses and relays can also be affected in the present of harmonics and they may cause nuisance tripping.
- Changing the network impedance: all the network components present complex impedances that will vary when presented with the harmonic frequencies.
- Exhausting the power cables: harmonics will lead to the increase in the ac resistance of a cable is caused by two phenomena, skin

effect and proximity effect. This can result in increasing the losses and may cause insulation failure in the cable.

- Electro-Magnetic Interference (EMI) Problems: The high frequency disturbances often categorized as EMI can be radiated to free space as electromagnetic waves or conducted through the power lines in a differential or common mode. EMI's effect on electronic systems is commonly the subject of power engineer's study.

In order to maintain harmonic distortion at reasonable levels and to comply with the regulatory standards on distortion there are solutions which are applicable to both the supply system and to the harmonics sources themselves. These solutions will be presented thoroughly in the next chapter.

1.2 Harmonics Standards and Regulations

The added circuitry to improve the power factor and overcome the harmonics problem will add extra cost to the original power supply, typically 20 to 30 percent more cost. This extra cost has made the power supply manufacturers less interested in implementing these circuits. On the other hand, the power company wants its consumers to draw clean current waveforms from its mains. Thus international and national standards have

come into force to limit the level of harmonic injection into the system and to maintain good power quality [4, 5].




Figure 1-1 The European Standard (IEC) Divisions

The IEEE-Std-519: 1992, recognized as recommended practice in the U.S., is mainly used in the American market for guidance in the design of power systems with non-linear loads. This standard contains, in a single publication, all the topics related to the analysis and control of harmonics in the power system. On the other hand, the European standard (International Electro-technical Commission) IEC presents standards on electromagnetic compatibility in several publications that cover many disturbance phenomena: harmonics, inter-harmonics, voltage fluctuations, voltage imbalance, mains signaling, power frequency variation and DC components. Figure 1-1 shows the divisions of the European standards that superseded the old IEC 555-2/EN 60555-2. These divisions depend on the load,

equipments' connections, and whether it is low, medium, or high voltage and it also depends on the maximum current drawn per phase by the equipment.

Table 1-1 Harmonic Emission Limits for IEC 61000-3-2 and IEC 555-2

Harmonic Number (n)	Class A Limits**	Class B Limits**	Class C Limits*	Class D Limits*	IEC 555-2 limits for TV(>165W)
	(A _{rms})	(A _{rms})	% Of fundamental	mA/W of input power (50-600W)	(A _{rms}) Max DC current<0.05A
2	1.080	1.620	2	n/a	0.300
3	2.300	3.450	30 x PF	3.4	0.800
4	0.430	0.645	n/a	n/a	0.150
5	1.440	2.160	10	1.9	0.600
6	0.300	0.450	n/a	n/a	n/a
7	0.770	1.155	7	1.0	0.450
8	0.230	0.345	n/a	n/a	n/a
9	0.400	0.600	5	0.5	0.300
10	0.184	0.276	n/a	n/a	n/a
11	0.330	0.495	3	0.35	0.170
12	0.153	0.230	n/a	n/a	n/a
13	0.210	0.315	3	0.296	0.120
Even 14-40	1.84/n	2.760/n	n/a	n/a	n/a
Odd 15-39	2.25/n	3.338/n	3	3.85/n	1.5/n

* EC 61000-3-2 only

** Both IEC 61000-3-2 and IEC 555-2

The IEC 1000-3-2 sets limits for the harmonic currents generated by electrical and electronic equipment drawing input current up to 16A/phase.

The standard categorizes the equipment into four classes:

- Class B for portable tools.
- Class C for lighting equipment including dimmers.

- Class D for equipments having the special waveform, shown in Figure 1-2, of input current and an active input power less than or equal to 600W, except phase angle controlled motor driven equipment.
- Class A for everything else and balanced three-phase equipment.

Table 1-1 shows the harmonic limits for these classes.

An envelope, shown in Figure 1-2, defines the special wave-shape for Class D. Equipment is deemed to be Class D if the input current waveform for each half period is within the envelope for at least 95% of the duration of its half cycle. The centerline of the envelope coincides with the peak of the input current, which may be not the same position of the peak line voltage. The envelope is divided into three equal periods of $\pi/3$ with the amplitude of the center period is equal to the peak of the input current and the amplitude of the two sides is equal to 0.35 of that peak value. If the input current is approximately a sinusoid it will fall outside of that envelope for 40% of the cycle. Note that if the power above 600W, it is not a Class D product and hence should be tested for Class A limits. If the power is below 75W, no limits apply.




Figure 1-2 Class D Special Waveform

1.3 Classification of Power Factor Correction Approaches

The general approaches to improve power factor can be widely classified as passive and active approaches. The passive approaches use capacitive inductive filters to achieve PFC, while the active approaches use a switched-Mode power supply to shape the input current. In this section both approaches will be discussed and some of the common circuits will be presented.

A. Passive Approaches

In this approach, a full bridge rectifier with an LC filter is used to meet the line current harmonic limits. Generally, the LC filter can be placed on the AC-side or the DC-side of the rectifier as shown in Figure 1-3. Placing the LC filter on the ac-side will result in purely sinusoidal input current.




Figure 1-3 General Structures of the Passive PFC Approaches

Passive PFC can meet the regulation with high efficiency, superior reliability, low cost, and low EMI. On the other hand, the filter capacitor voltage varies with the line voltage, which has a detrimental effect on the performance and efficiency of the DC-DC converter. When considering the hold-up time for the power supply, the capacitance of the bulk capacitor has to be increased and become very bulky compared to what it would have been without this varying voltage. As a result of this trade, the passive approaches seem to be more attractive in low power applications, up to 300Watts. This lack of voltage regulation and poor dynamic response make passive PFC more suitable for applications with a narrow line voltage range. Other drawbacks are the size and weight of the filter choke inductor. This inductor is heavy, bulky, and requires careful design consideration. Even with these limiting factors, the majority of power supplies manufactured in low power and cost sensitive applications have adopted this passive technique.

B. Active Approaches

In active PFC, a switched-mode converter is employed to overcome the limitations of the passive approaches. As seen in Figure 1-4, the ideal result from this PFC stage, is to achieve a unity power factor. Assuming unity power factor, the line current should be sinusoidal and in phase with the line voltage. That will result in pulsating output power than contains in addition to the real (average power), an alternating component with double the line frequency. Since the power demanded by most loads is constant, an energy storage element is needed. Since the inductor-stored energy cannot supply this amount of energy, another storage component is needed. The storage capacitor, C_s , which will handle the double line frequency ripple component, is introduced. This capacitor is usually large and bulky.




Figure 1-4 Power Waveforms Associated with Resistor Emulator PFC Stage

The double line frequency problem that presents itself on the output of the PFC stage cannot be internally solved. Usually a compromise between PFC and output voltage ripple can be made, but most of the time this output voltage is not good enough to supply the load. As a result, another DC-DC converter, or the so called post regulator, is required to solve this problem and achieve tight output regulation. The result is the most flexible PFC configuration that is called the active, two-stage PFC, shown in Figure 1-5.




Figure 1-5 System Configuration of Two-stage PFC Power Supply

The boost converter is widely used in the PFC stage due to its advantages such as good power factor, grounded switch, input inductor and simplicity. Usually this PFC converter has a low bandwidth control which implies a loosely regulated output voltage across the storage capacitor. In universal line voltage applications, the DC bus voltage may vary between 380-400V. Because of the relative high voltage on the storage capacitor, the

value of the capacitance can be optimized to provide the necessary hold-up time. The DC-DC converter is connected to the storage capacitor to provide the necessary output voltage regulation with the appropriate gain and often provides isolation.

Another family under the active approach is the single-stage configuration. This configuration was introduced as a way to reduce the cost and complexity of the two-stage structure [6]. In reality, it can be viewed more as a modification of the conventional two-stage PFC rather than as a class by itself. As can be seen in Figure 1-6, the PFC and the DC-DC cell share the control circuit and may also share the switches in this configuration. The energy storage capacitor between the two stages serves as a buffer and to provide the converter with the necessary hold up time. However, in the single-stage configuration, the voltage across the storage capacitor is not regulated, because the controller is used to regulate the output voltage. As a result this voltage can vary greatly, usually between 130-1000V in universal line applications, depending on the topology. This will have a negative impact on the design and cost of the PFC converter as will be discussed in the following Chapters.




Figure 1-6 System Configuration of Single-stage PFC Power Supply

C. Approach Comparisons

Generally, in low power applications and especially when designing to meet the minimum regulation requirements, if line voltage can be considered fairly invariant, the passive approach should be considered. However, a major drawback of the passive approach is the size and weight of the filtering components. On the other hand, when unity power factor is required, or when size is a key objective, or if the application requires high power, the active PFC is the only practical solution.

At low power levels, the active single-stage offers a great advantage over the passive approaches due to its simple structure, low cost, minimum weight and better PFC performance, even still, its performance, size, and cost are questionable when it compared to the two-stage approach. The following are the major problems associated with the single-stage active PFC approach:

❖ **Intermediate Bus Voltage and Power Balance Issue:** As

mentioned before, the single-stage converter has only one

feedback control circuit to tightly regulate the output voltage. As a result, the intermediate bus voltage is kept unregulated and its voltage level depends on PFC cell topology. Since most likely the boost topology will be selected, this voltage may reach values of 1000V in a typical design depending on the line and load condition due to power balance requirements. To illustrate this condition, assuming that the DC-DC cell operates in CCM for enhanced performance, then the duty cycle will not change with load changes. When the load demand decreases, the input power will not change and all the power difference will be stored in the intermediate bus, raising its voltage to high levels. This condition will continue until a new power balance condition is achieved, since with the increase in the bus voltage, the duty cycle will be reduced to keep the output voltage regulated. More about the high intermediate bus voltage can be found in [7]. Since the intermediate bus capacitor should be selected to handle a high voltage rating, this will increase the converter cost considerably since capacitors with voltage ratings higher than 450V are uncommon. The MOSFET voltage rating will also be increased affecting its losses and price as well.

- ❖ ***High current ratings:*** One way to get around the increased bus voltage is to use DCM operation for the DC-DC cell. In DCM, the

duty cycle depends on the load condition and hence the bus voltage will not increase in the same manner as in the previous case. On the other hand, the DCM operation comes with its own set of disadvantages. In particular, a requirement for higher peak current ratings for the components in the DCM converter resulting in device selection with higher cost and lower efficiency.

Sometimes a selector switch (110-220V) will limit some of these problems, but generally, a trade-off between improving the size and cost using single switch and one controller, to the cost and size of the storage capacitor should always be considered. In addition, a more expensive EMI filter is needed when operating the PFC cell in DCM to achieve automatic current shaping.

Unity power factor and tight output regulation for any power range can be achieved using the two-stage, active PFC. This structure is fully capable of compliance with regulations and is compatible with universal line voltage applications. Some negative factors include the increased cost and size associated with the two staged approach and sometimes the reduced efficiency associated with processing the power through two stages versus one.

In specific applications, all of the three options are capable of regulation compliances. Table 2-1 provides a general relative performance comparison

for the passive and active single and two-stage approaches with the current available technologies [8].

Table 1-2 Relative Performance Comparison of Three PFC Approaches

Performance Review	Passive Scheme	Active Two-stage	Active Single-Stage
THD	High	Low	Medium
Power Factor	Low	High	Medium
Efficiency	High	High	medium
Size	Large	Medium	Medium-Small
Bulk Cap Voltage	Variation	Constant	Variation
Control	Simple	Complex	Medium
Component Count	Least	Medium	Medium-Low
Power Range	< 300 W	Any	< 300 W
Design Difficulty	Low	Medium	High

1.4 Research Motivations

In this section, the motivations behind this work are outlined.

- ❖ The existing PFC techniques, utilized in the marketplace today, are either a two stage structure that provides a unity power factor with high efficiency, or using passive components that cannot meet the regulation requirements. While the first solution has flexible structure that can lead to superior performance, it exceeds regulatory requirements on harmonic content while adding a 30% increase in the component count, and increasing the cost and the size of the converter. No other solution can compete with the

performance of the two stage approach, but at the same time, this performance is not required to meet the regulations and it comes with a higher price tag.

- ❖ All the previous attempts to integrate the two stage converter in to a single-stage were not completely successful due to several factors. First, the uncontrolled bus voltage was high, demanding an expensive capacitor. Second, high voltage and current stresses inherent in the design resulted in over-sized, expensive components and low conversion efficiency. Finally, in order to overcome these drawbacks, complex single-stage structures were proposed that have even more components than the two stage converters. Clearly these proposed schemes missed the underlying attraction to single stage PFC – potential cost reduction.
- ❖ Much literature has been devoted to single-stage converters with a direct energy transfer technique to solve the limitation of the single-stage approach. None of these papers quantified the amount of direct energy transferred to the output. In addition, due to the operation and topology complexity, no clear design curve or trade-off analyses were performed to make it easier for the practicing engineer to develop these topologies into an economically viable product.

Based on these motivations the objectives of this dissertation are:

- To review and investigate various recent techniques in harmonic reduction and power factor correction related to the single-stage structure, and in particular, to topologies with a direct energy transfer mechanism.
- To develop cost and performance justified topologies that adopt these improving techniques
- To perform a comprehensive analyses of these converters, and produce the design procedure and curves need for development.
- To compare the performance and draw conclusion for future research

1.5 Dissertation Outline

Chapter 2 will include a comprehensive review of single-stage power factor schemes and highlight some recent techniques that can be adapted to improve performance. In Chapter 3, the improved asymmetric half bridge converter with a parallel energy transfer branch will be introduced and analyzed. Chapter 4 will introduce the bi-flyback topology as a candidate topology to compete with current state of art converters. Operation, topology analysis, and design curves will be provided and the key relationships will be derived. Chapter 5 will focus on the average modeling. A new five-terminal general average model will be defined and its terminal relations will be derived. The new model will be used to obtain the frequency response of the

proposed bi-flyback converter. In Chapter VI, the center-tapped flyback converter will be proposed to overcome some of the limitations of the bi-flyback topology. Chapter VII will summarize the results obtained in this dissertation and propose some future work.

CHAPTER 2 OVERVIEW OF SINGLE-STAGE POWER FACTOR CORRECTION TECHNIQUES

2.1 Introduction

This chapter presents an overview of various topological implementations of the single-stage power factor correction converter [9] that has been recently published in the open literature. The discussion in this chapter includes commonly used strategies and various types of converter topologies. A comparison between these strategies and converter topologies will be given. Since object of the work is to improve mainly the efficiency and reduce the stress on the PFC converters while keeping cost competitive, only relevant topologies are discussed. While the literature is rich with publications on this topic, only few address a truly feasible solution. The direct energy transfer capability of these topologies is considered a major improvement technique offering a promising efficiency advantage. This approach will be used in the topologies proposed in later Chapters.

2.2 Original Single-Stage Topologies

One of the earliest converters proposed to alleviate the component count, cost, and complexity issues of the two-stage approach was the BIFRED converter [6]. The BIFRED is an integrated boost-flyback converter using a single-switch and a single-controller to achieve both high input PFC and tight output voltage regulation simultaneously, as shown in Figure 2-1. The main

advantage of this structure lies in the fact that the transformer primary side is in series with the bus capacitor. As a result, the capacitor voltage is reduced by the amount of the reflected output voltage. The converter's proposed operation was DCM for the input boost inductor and CCM for the flyback output DC-DC converter. This is done in order to achieve both automatic PFC at the input and to reduce RMS current at the output. The main disadvantage of this topology is the high storage capacitor voltage due to the power imbalance. This voltage can be as high as 1000V at light load conditions, and this solution becomes impractical when considering the commercial 450V capacitors and 600V MOSFETS.




Figure 2-1 the BIFRED Converter

To alleviate the stress on the bus capacitor, variable frequency operation was proposed in [10]. In this contribution, it was noted that the DC-DC converter gain depends only on the duty cycle, while the input PFC circuit gain depends on the frequency but not duty cycle, as shown in Eq. (2.1).

$$V_{cs} = \frac{V_{in}}{2} \left(1 + \sqrt{\frac{1+n^2V_o}{Lf_sI_o}} \right) - nV_o \quad (2.1)$$

As a result, increasing the switching frequency at lighter load can regulate the bus capacitor voltage. While this method can effectively regulate the bus voltage, the implementation faces many difficulties due to the required frequency variation. These difficulties include the following:

- The frequency has to vary up to 10 times to maintain the bus voltage at 450V as the load decreases to 10%, as shown in Figure 2-2. This high switching frequency will lead to efficiency degradation due to switching losses.
- Complex magnetic design including the main transformer and the filter.




Figure 2-2 Switching Frequency vs. Load Current

In order to overcome the limitation in the DCM-CCM operation, a family of Single-Stage Isolated Power-factor-correction Power supply (SSIPP) was proposed in [11, 12], shown in Figure 2-3. The basic principle of operation is that both the PFC and the DC-DC cells always operate in DCM to alleviate the power balance issue. While the proposed method was effective in reducing the bus voltage, it was not possible to use the 450V capacitor because the voltage is still higher than 500V under high line voltage. In addition, the proposed DCM operation for the DC-DC stage will result in high peak current on the secondary side of the transformer, which will have the added consequence of reduced efficiency due to conduction losses. The high ripple current in the secondary side will also lead to an increase in filter size at the output.






Figure 2-3 Single-stage Boost/Flyback Combination Circuit

2.3 DC Bus Voltage Feedback

One of the most effective techniques to solve the excessive DC bus voltage is called DC bus voltage feedback [13-18]. In this technique a coupled inductor to the DC-DC transformer is added in the charging path on the boost inductor, as shown in Figure 2-4. By inspection, this coupled inductor will act as a negative feedback branch that feeds scaled bus voltage to the charging path of boost inductor and steady state balance can keep the bus voltage below 450V, while the DC-DC converter is operating in CCM.



(a)



(b)

Figure 2-4 Single-stage PFC converter: (a) Boost/Flyback with DC-bus Voltage Feed-back, (b) BIFRED with DC-bus Voltage Feed-back

In addition to the reduced bus voltage stress, this topology can reduce the current stress on the main switch. This is as a result of the aid given by the introduced winding in charging the magnetizing inductor of the DC-DC transformer. This leads to less current discharged from the bus capacitor and less current processed by the switch. This topology also includes a direct energy transfer period since the discharging current from the boost inductor

will be coupled directly to the output without the need to be processed twice. The same technique is used in the proposed converter in Chapter 6.

On the other hand, the operation of this topology includes a Mode that does not allow the full conduction angle of the input line current as shown in Figure 2-5. Mode 1 happens when the reflected bus voltage is higher than the rectified input voltage and depends on the amount of the bus voltage feedback (n_2/n_1 ratio). The limited conduction angle will deteriorate the Power Factor (PF) performance of the converter and increase distortion. In order to comply with the regulations, the amount of voltage feedback has to be limited, and as a result the reduced switch losses and the amount of direct energy transfer have to be limited as well. This tradeoff between performance and PF results in low efficiency, approximately 71% as reported in [17]. This type of feedback is indirect because the feedback occurs after the bulk capacitor voltage increases. In conclusion, while this topology can limit the bus voltage to a reasonable value, the PF and THD requirements limit the direct energy transferred and the amount of efficiency improvements that can be expected with the voltage feedback feature.




Figure 2-5 Modes of Operations in the DC-bus Voltage Feedback Topologies

2.4 CCM Operation of the PFC Cell

To enhance the efficiency in higher power applications, CCM operation of the single-stage PFC converter was proposed in [18-20]. While CCM operation is usually employed in the two-stage approach, a dedicated controller is necessary to modulate the duty cycle in the PFC stage. Enlarging the boost inductor size to force CCM operation in the single-stage approach will only result in high current distortion. This is a result of the fact that the constant duty cycle condition for PFC is only valid during DCM operation. As a result, a new modulation scheme is necessary to modulate the effective duty cycle across the boost inductor, while the actual duty cycle stays constant.

To accomplish this task, the topology in Figure 2-6 was proposed in [18, 19]. The principle of operation for this circuit is based on changing the

effective duty cycle on the boost inductor without changing the actual duty cycle of the converter. The needed effective duty cycle is given by[20],

$$d_{pfc} \approx 1 - \frac{V_{in}}{V_{Cs}} |\text{Sin}(\omega t)| \quad (2.2)$$

According to this equation, the duty cycle has to change inversely with the line voltage. The circuit in Figure 2-6 accomplishes this task by adding an inductor in the charging path. As shown in Figure 2-7, the added inductor will prevent the main boost inductor from charging up until the currents in both inductors are the same. This action will modify the effective duty cycle to be $D_{on}-D_{off1}$. At the same time, D_{off1} depends on the line voltage. When the line voltage increases, the discharge rate will decrease leading to a longer discharge time and reduced effective duty cycle. The same concept can be applied by employing a capacitor in charging path as shown in Figure 2-8.




Figure 2-6 Current Source CCM PFC Circuit




Figure 2-7 Effective Duty Cycle in Single-Stage PFC




Figure 2-8 Voltage Source CCM PFC Circuit

While the proposed CCM operation might offer a reduction in the size of the EMI filter and reduced current ripple in the bus capacitor, the following should be noted when evaluating this solution:

- CCM operation might offer enhanced efficiency for medium and high power applications. However, the reverse recovery losses of the boost diode present a serious threat in low power applications, where the single-stage approach is especially attractive.
- The exact equation that describes the unity power factor condition requires a time varying inductance, and as a result, these topologies cannot claim unity power factor operation.
- The PFC condition previously discussed only applies to CCM operation. While the converter will be designed for CCM operation, it will enter DCM operation each switching cycle at low line voltage. This behavior will create similar effects to the reduced conduction angle in voltage feedback topologies discussed earlier.
- This topology has a higher RMS current through the single switch when compared to 2 stage topologies. This will result in efficiency reduction.

2.5 Direct Energy Processing Approach

Single-stage and two-stage approaches adapt the simple cascade configuration, where two converters are separated by an energy decoupling element, the bus capacitor. To understand the nature of energy transfer and the real need for the decoupling element, the instantaneous input power and

the average output power waveforms in a single-phase, PFC converter are shown in Figure 2-9.




Figure 2-9 Power Relationship in Single-Phase PFC Converters

The input power is a square sin function with double the line frequency,

$$p_{in}(t) = V_{in} I_{in} \sin^2 \omega t = 2P_0 \sin^2 \omega t \quad (2.3)$$

As we can see, the converter has to process a peak power that is twice the output power. At the same time this power has to be stored and then delivered to the output. Typically, the output capacitor is not the correct choice to store this energy for two reasons. First, the output voltage will fluctuate with double line frequency because tight output voltage regulation will require a small output capacitor. The second reason is the required hold-

up time of the converter. As a result an energy decoupling capacitor is needed in the circuit. The location of the energy storage element becomes critical and general configuration of the topology will play an important role. If we analyze the power waveforms in Figure 2-9, solving for the time when the instantaneous input power is equal to the output power, then integrating the input power to find the relationship between P_1 and P_2 , we can find that 68% of the energy can be transferred directly to the output, and only 32% of the energy has to be stored and then reprocessed to the output. If P_1 energy is directly transferred to the output, the output voltage ripple will not see the double frequency, primarily a result of excesses in power storage. As a result of these findings, a new family of converters adapted the direct energy transfer scheme or parallel energy transfer scheme. The main focus is now changed to the topology structure that can accomplish this task with a minimum number of components while delivering maximum energy directly to the output for enhanced efficiency. Figure 2-10 shows the block diagram that illustrates this direct PFC scheme.




Figure 2-10 Block Diagram for the Direct PFC Scheme

Many circuit implementations have been suggested to implement the direct energy transfer scheme[21-27]. Earlier publications were directed more toward two-stage implementation to improve the efficiency [21, 26]. An example of the two stage implementation is shown in Figure 2-12. While the direct energy transfer mechanism is clear in this topology, the implementation scheme itself involves many components and might not be a good practical implementation.




Figure 2-11 Parallel Power PFC Converter

The direct energy transfer scheme was later adapted in the single-stage implementation. An example of the single-stage implementation is the topology shown in Figure 2-12 [28], which features the direct energy transfer mechanism. This topology utilizes an extra winding on the main flyback transformer to create a voltage course in series with the storage capacitor. Depending on the value of this voltage, the converter will have a limited conduction angle as shown in Figure 2-13. Before the converter starts to draw current from the input, all the power will be processed from the storage capacitor, as shown in Figure 2-14 (a). After the input voltage reaches a predetermined value, the energy will be processed from the input to the output directly through the flyback converter, and the remainder of the needed energy will be processed from the storage capacitor, as shown in

Figure 2-14 (b). At the same time, the input inductor will be charging the storage capacitor. While the input voltage continues to increase, more energy will be processed from the input to the output and to the storage capacitor. Near the peak input voltage, the input inductor will change operation from DCM to CCM as a direct result of the increased current processed through the input. Switching between DCM and CCM leads to more line distortion and control difficulties. And as in the majority of the published papers, there was no clear design procedure nor quantified trade-offs between direct energy transfer, PF, and bus voltage.




Figure 2-12 Single-switch PFC Converter with Inherent Load Current Feedback






Figure 2-13 Boundary Modes of Operation during Half-line Cycle





(b)

Figure 2-14 Energy Transfer Paths during the two Modes of Operation

A simple implementation scheme was proposed in [29] through the flyboost cell. The mechanism of operation in this scheme relies on introducing a threshold power level P_{th} , as shown in Figure 2-15, and when the input power is lower than this threshold value the power will be transferred directly to the output, portion P_1 , otherwise it will be processed twice by both stages, portion P_2 .




Figure 2-15 Power flow Diagram of the Proposed Scheme

The flyboost cell can be implemented in any boost-based PFC converter, by adding another winding to boost inductor and feed it to the output capacitor [30, 31] as shown in Figure 2-16. Unlike the previous implementation, the flyboost implementation is simple [32, 33] and can be adapted in many single-stage converters. In general, to implement the parallel energy path for any boost-based PFC converter, we can add another winding to boost inductor and feed it to the output capacitor. On the other hand, the power flow analysis of these converters is more complicated and requires several measures in the design procedure as described in the proceeding chapters.




Figure 2-16 Basic Circuit Schematic of the AHBC Converter Proposed in Chapter 3

CHAPTER 3 IMPROVED ASYMMETRIC HALF-BRIDGE SOFT-SWITCHING PFC CONVERTER USING DIRECT ENERGY TRANSFER TECHNIQUES

3.1 Introduction

Of course, the ideal PWM converter is lossless. In reality, power dissipation is due to the non-idealities in the power components and mainly the semiconductor switches themselves. With the improvements in semiconductor technologies, switch performance has become more reliable and the switching losses have been considerably reduced. With these improvements, the converter can be operated at a higher switching frequency, resulting in reduce size and weight of passive components. Switching losses had become the main concern with the current trend of increasing the switching frequency. For certain applications, resonant converters were a promising solution. Resonant converters eliminate nearly all the switching losses and leave the path open for an even higher switching frequency, but still, they too have their drawbacks. During the resonant process, the switch current or voltage reach high values, higher than those in the regular PWM converters, this drawback increases the conduction losses.

The Asymmetric Half Bridge Converter (AHBC) provides a good method for soft switching. In this chapter, the development of the original Asymmetric Half Bridge Converter (AHBC) will be presented. In addition, the new, improved AHBC will also be discussed including with a discussion of

the detailed analysis and design considerations followed by simulation and experimental results.

3.2 The Original Asymmetric Half-Bridge Converter

Soft switching can be achieved in any transformer-coupled PWM converter with half or full bridge configuration operating at 50% duty cycle. By allowing a small, controlled dead time between the two conduction periods, the leakage inductance of the transformer can resonate with the parasitic capacitors in the switches and soft switching can be achieved. The original half bridge forward converter is shown in Figure 3-1[34]. In addition to the potential soft switching, the half bridge configuration allows more power handling capabilities than the single switch topology, and has fewer components than the full bridge configuration making it a good choice for medium power applications. The dead time between the switches can be noticed in Figure 3-2(a). Soft switching can be achieved only at 50% duty ratio. Soft switching will be lost if the converter operates at any other duty ratio because the voltage across the switch will rise back again before the turn *ON* time of that switch. As a result, no output regulation can be achieved.




Figure 3-1 Half-Bridge Forward Converter

In Figure 3-2(b) we can see how the asymmetric switching scheme can alleviate that problem by operating each switch at a different duty cycle. By using asymmetric switching with a small dead time between switching to achieve lossless switching, we can effectively regulate the output by changing the duty cycle of the switches. Beyond the complementary duty ratio, the main difference between the symmetric and asymmetric switching is the different voltage levels on the upper and lower bridge capacitors, C_1 and C_2 in Figure 3-1. To find the voltage of each capacitor we can write the input voltage loop equation, Eq. (3.1), and the volt-second balance equation on the primary magnetizing inductor L_M , Eq. (3.2). Note that Eq. (3.2) ignores the leakage inductor's effect.

$$V_{C1} + V_{C2} = V_{in} \tag{3.1}$$

$$-V_{C1}D + V_{C2}(1 - D) = 0 \tag{3.2}$$

By solving Eq. (3.1) and Eq. (3.2) we find,

$$V_{C1} = V_{in}(1-D) \quad (3.3)$$

$$V_{C2} = V_{in}D \quad (3.4)$$

Using the volt-second balance equation on the output inductor L_o , we can find the gain equation of the asymmetric half bridge converter as,

$$M = \frac{V_{in}}{V_o} = \frac{2D(1-D)}{n} \quad (3.5)$$




Figure 3-2 Switching Waveforms: (a) Symmetric witching, (b) Asymmetric switching

The plot of the quadratic relationship in Eq. (3.5) is shown in Figure 3-3. The gain is at maximum at a duty ratio of 50% and reaches zero at zero or 100% duty ratio. It is therefore possible to regulate the output voltage by varying the duty ratio while, at the same time, maintain soft switching.




Figure 3-3 The DC-DC Conversion Characteristics of the Asymmetric converter

The above analysis shows that the AHBC is advantageous in terms of the high operating frequency and soft switching, which allow a simple and small output filter. On the other hand, due to the complementary control mechanism, the switches experience very different levels of stress. Due to the nature of the conversion characteristics shown in Figure 3-3, the converter's duty ratio should be chosen far from the ideal 50% to allow regulation to take place. When the duty cycle is small, one switch suffers very high stress, which deteriorates the performance. To solve this problem, the

unbalanced magnetic was introduced to bring the duty cycle back closer to the 50%. Figure 3-4 shows the implementation of this solution with a current doubler at the output side [35]. Another realization of the AHBC in the PFC converter can be found in [36] where coupled input inductors were used.




Figure 3-4 Asymmetric Half Bridge Forward Converter with unbalanced magnetic and current doubler

It can be shown that the new DC gain equation for this converter is given by,

$$M = \frac{V_o}{V_{in}} = \frac{D(1-D)}{n_1 D + n_2(1-D)} \quad (3.6)$$

This formula is plotted in Figure 3-5, and shows that the curve is simply tilted from its previous shape. The maximum gain is approximately at $D=0.6$ now. With this modification the converter can operate closer to 50% duty

cycle (more nearly a DC input current) over the normal range of the input voltage.

Many other attempts to improve the performance of the AHBC were cited in the open literature [37, 38]. The AHBC can also be simplified as show in Figure 3-6. We still can get the asymmetric operation after eliminating the upper capacitor. The DC voltage V_a across the asymmetric capacitor, or sometimes refer to it as the balance capacitor, will compensate for the unbalanced transistor timing. This voltage guarantees that the power transformer is evenly excited in both directions. The parasitic capacitor of the switches and the magnetizing inductor was not drawn in Figure 3-6, but the operation assumes their existence.




Figure 3-5 M vs. D for the Asymmetric Converter with Unbalanced Magnetics

The final gain equation for this structure is,

$$\frac{V_o}{V_{in}} = \frac{2D(1-D)}{n} \quad (3.7)$$

We can notice that Eq. (3.7) and Eq. (3.6) are similar. The advantage of eliminating one capacitor comes at the expense of a higher difference in the switches stress levels. However, the circuit shown in Figure 3-6 will be used as the output cell in the improved asymmetric power factor correction converter discussed in the coming section.




Figure 3-6 Single Capacitor Asymmetric Converter

3.3 The Proposed Soft-Switching Topology

In this section, the improved asymmetric half-bridge converter will be introduced with both its switches operating in ZVT as the DC-DC of a single-stage power factor correction converter. The converter operation in the flyback and the boost regions will be analyzed and the associated Modes will

be presented. A parallel energy branch is added to further improve the efficiency.

3.3.1 Principle of Operation

The proposed AC-DC converter is shown in Figure 3-7, and it is obtained by adding a flyback transformer and a bulk capacitor to the existing DC-DC AHBC in Figure 3-6. The magnetizing inductance of the flyback transformer (not shown in Figure 3-7) acts like the boost inductor during a portion of the rectified AC input voltage, S_1 acts as the main switch, and S_2 compensates for the boost diode. Diodes D_{PF} and D_{SF} are fast recovery diodes and provide the flyback operation during the other portion of the rectified AC input voltage to transfer the energy directly to the output. The bulk capacitor C_s stores the energy from the PFC cell and delivers it to the forward configuration of the AHBC. The capacitor C_a balances the asymmetric operation in the output side. It can be shown that the PFC cell operates in two different regions during one line cycle, the flyback region and the boost region as shown in Figure 3-8. Since the boundary voltage for these regions depends on the storage capacitor voltage V_{C_s} , C_s should be large enough to handle the double line frequency ripple with a constant voltage. In steady state, the proposed converter has three switching Modes during one switching cycle. In Mode 2, the circuit will have two different configurations depending on the operation region, boost or flyback. The equivalent circuits of the three Modes are shown in Figure 3-9 and the converter key waveforms are shown in Figure 3-10.




Figure 3-7 Basic circuit schematic of the proposed Asymmetric Converter

Table 3-1 Switching Modes: time intervals and status of devices

Mode	Time interval	Conducting device					
		S1	S2	D _{PF}	D _{SF}	D _{O1}	D _{O2}
1	$t_0 \leq t < t_1$	×		×		×	
2	$t_1 \leq t < t'_2$		×		×		×
	$t'_2 \leq t < t_2$		×	×			×
3	$t_2 \leq t < t_0 + T_s$		×				×

The following assumptions have been made throughout the analyses:

- Tight output regulation, which means that V_o is constant during the line cycle.
- V_{in} is the average rectified ac input during one switching cycle. This value is a moving average that will vary with time over the line cycle.

- The dead time between the switches conduction is negligible. Although we assumed soft switching operation for the converter in which this dead time is very important, we will neglect this time in the analysis. This is because of the inherent ZVS of the AHBC and the fact that this time has been analyzed previously [39, 40].
- The capacitors C_s and C_a are large enough so that the voltage ripple across each capacitor is negligible.




Figure 3-8 Regions of Operation During one Line Cycle

In the following discussion, the DCM operation will be assumed to achieve high power factor and the CCM operation for the DC-DC cell to reduce the current stress on the switches. The operation can be described as follows:

Mode 1 [$t_0 < t < t_1$]:

At $t=t_0$, S_1 turns *ON* and so does D_{PF} . V_{in} is applied to the magnetizing inductor, L_{PFm} , causing the DCM current to increase linearly from zero. The difference between the storage and the asymmetric capacitors voltage will be applied to the primary side of T2 causing L_{Pm} to charge linearly. S_1 will turn *OFF* at $t=t_1$. The equivalent circuit during this Mode is shown in Figure 3-9(a) and the key equations for this Mode are:

$$i_{LPFm}(t) = \frac{V_{in}}{L_{PFm}}(t - t_0) \quad (3.8)$$

$$i_{Lo}(t) = \frac{V_{Cs} - V_a - V_o}{L_o} (t - t_0) + i_{Lo}(t_0) \quad (3.9)$$

$$i_{LPm}(t) = \frac{V_{Cs} - V_a}{L_{Pm}} (t - t_0) + i_{LPm}(t_0) \quad (3.10)$$

The time interval is given by,

$$\Delta t_1 = t_1 - t_0 = DT_s \quad (3.11)$$

Mode 2 [$t_1 < t < t_2$]:

In Mode 2, the circuit behavior depends on the region of operation and it can be described as follows:

I) Flyback region:

At $t=t_1$, S_2 and D_{SF} will be *ON* so that the magnetizing current in L_{PFm} discharges to the secondary winding and the energy stored will be transferred

to the output. From the boundary condition, D_{PF} will be reverse biased blocking the current from discharging through the storage capacitor. The negative voltage of C_a will be applied to the primary winding of T2 to discharge the output inductor, L_o . The period ends when the magnetizing inductor current, i_{LPFm} , reaches zero at t_2 . The equivalent circuit during this Mode is shown in Figure 3-9(b). The key equations for this Mode are,

$$i_{LSF}(t) = I_{LPFm}(t_1)n_1 - \frac{n_1^2 V_o}{L_{PFm}}(t - t_1) \quad (3.12)$$

$$i_{LPm}(t) = I_{LPm}(t_1) - \frac{V_a}{L_{Pm}}(t - t_1) \quad (3.13)$$

$$i_{Lo}(t) = -\frac{V_o - (V_a/n_2)}{L_o}(t - t_1) + I_{Lo}(t_1) \quad (3.14)$$

The interval t_2-t_1 in the flyback region is given by,

$$\Delta t_2(Flyback) = \frac{V_{in}}{n_1 V_o} DT_s \quad (3.15)$$

II) Boost region:

In this region, S_2 turns *ON* but D_{PF} keeps *ON* and D_{SF} *OFF* due to the region boundary condition. The energy stored in the magnetizing inductor L_{PFm} will be released to charge C_s . Meanwhile, the negative voltage of C_a will discharge the output and T₂ magnetizing inductors. This Mode ends when the magnetizing inductor current, i_{LPFm} , reaches zero at t_2 . The same equations

for i_{LPm} and i_{Lo} from Mode 2 in the flyback region can be applied here. The equivalent circuit is shown in Figure 3-9(c), and the key equations for this Mode are,

$$i_{LSF}(t) = 0 \quad (3.16)$$

$$i_{LPFm}(t) = i_{LPFm}(t_1) - \frac{V_{Cs} - V_{in}}{L_{PFm}}(t - t_1) \quad (3.17)$$

This time interval $t_2 - t_1$ is given by,


$$\Delta t_2(Boost) = \frac{V_{in}}{V_{Cs} - V_{in}} DT_s \quad (3.18)$$

Mode 3 [$t_2 < t < t_3$]


The current i_{LSF} stays zero in this Mode. The output current will continue discharging along with i_{Lpm} until S2 turns *OFF* again. The same equations for i_{LPm} and i_{Lo} from Mode 2 can be applied here. The time interval associated with each region can be given as,

$$\Delta t_3(Flyback) = (1 - DT_s) - \Delta t_2 = 1 - DT_s \left(1 + \frac{V_{in}}{n_1 V_o}\right) \quad (3.19)$$


$$\Delta t_3(Boost) = (1 - DT_s) - \Delta t_2 = 1 - DT_s \left(1 + \frac{V_{in}}{V_{Cs} - V_{in}}\right) \quad (3.20)$$




(a) Mode 1: $t_0 < t < t_1$



(b) Flyback Mode 2: $t_1 < t < t_2$



(c) Boost Mode 2: $t_1 < t < t_2$



(d) Mode 3: $t_2 < t < t_3$

Figure 3-9 Equivalent Topologies for the Three Switching Modes




Figure 3-10 Operation Waveforms

3.3.2 Steady-State Analysis

A. The boundary regions

According to the discharging path of T1, there are two different operation regions over one line period. Based on Figure 3-8, the rectified input voltage is equal to $V_{CS} - n_1 V_o$ at the boundary of two Modes. In the first

quarter of line cycle, the boundary between the two regions occurs at $t=t_x$ given by,


$$t_x = \frac{1}{\omega} \sin^{-1} \left(\frac{V_{cs} - n_1 V_o}{V_p} \right) \quad (3.21)$$

where,

$$v_{in}(t) = V_p \sin(\omega t) \quad (3.22)$$

B. DC-DC cell gain

According to analysis in last section, during the flyback region, all the input power is transferred to the load. During boost region, some input power is stored in the intermediate bus capacitor and the rest is transferred to the load through T_2 . The magnetizing power delivered by T_2 is controlled to keep the total transferred power equal to the output power, in order to keep tight output voltage regulation. The power flow over one line cycle is shown in Figure 3-11. Assuming high power factor, the input current will be sinusoidal and in phase with the line voltage. In this case the input power will be also sinusoidal with a double line frequency as shown in Figure 3-11.



P_{in} : Input power

$P_{T1,flyback}$: Power transferred by T1 at flyback Mode

$P_{T1,boost}$: Power transferred by T1 at boost Mode

P_{T2} : Power delivered by T2

Figure 3-11 Power Flow over the Line Period

Since the operation of the proposed topology is symmetrical on quarterly line cycle, only the first quarter of line period needs to be analyzed.

The DC-DC conversion cell of the proposed topology is a typical asymmetric

half bridge topology. When it operates in CCM, the duty cycle should be constant for the entire line period to achieve tight output regulation. The DC-DC cell's gain is given by:

$$M_1 = \frac{V_o}{V_{cs}} = \frac{2D(1-D)}{n_2} \quad (3.23)$$

C. Flyback region

During the flyback region ($0 \sim t_x$), in a given switching cycle, transformer T_1 is charged by the rectified input voltage during the S_1 *ON* period, and is completely discharged to the load during the S_2 *ON* period. According to Eq. (3.8), the peak magnetizing current at t_1 is given by:

$$I_{LPFm,max} = \frac{DT_s}{L_{PFm}} V_{in} \quad (3.24)$$

The average power transferred directly to the load through T_1 during one switching cycle is given by,

$$P_{T1} = \frac{V_{in}^2 D^2 T_s}{2L_{PFm}} \quad (3.25)$$

In order to keep tight output voltage regulation, i.e. V_o constant, the total power delivered directly through T_1 and by the storage capacitors through T_2

should be equal to output power in each switching cycle during the flyback region. Hence the power delivered through T2 in one switching cycle during the flyback region is,

$$P_{T2} = P_o - P_{T1} = P_o - \frac{V_{in}^2 D^2 T_s}{2L_{PFM}} \quad (3.26)$$

Hence the total power delivered by T2 from the intermediate bus capacitor during flyback Mode (0~t_x) is given by,

$$P_{T2, Flyback} = \sum_{t=0, T_s, 2T_s, \dots}^{t_x} P_{T2} \quad (3.27)$$

Since the switching frequency is much higher than line frequency $T_s \ll T$, V_{in} is Eq. (3.27) can be replaced by $v_{in}(t)$ and the summation in Eq. (4.28) can be written as the following integration,

$$P_{T2, Flyback} = \frac{1}{t_x} \int_0^{t_x} P_{T2} dt = \frac{1}{t_x} \int_0^{t_x} \left(\frac{V_o}{R_L} - \frac{D^2 T_s}{2L_{PFM}} v_{in}(t)^2 \right) dt \quad (3.28)$$

D. Boost region

In the boost region (t_x~T/4), all the energy charged by the input transformer T₁ is transferred to the storage capacitor C_s to recover its losses in the flyback region. Based on Figure 3-10, the average input current and

the average power transmitted through T_1 during one switching cycle in the boost region are given by,

$$I_{in,avg} = \frac{I_{LPFm,max}}{2T_s} (DT_s + \Delta t_2(\text{boost})) \quad (3.29)$$

$$P_{T1} = V_{in} I_{in,avg} = \frac{D^2 T_s}{2L_{PFm}} \frac{V_{cs} V_{in}^2}{V_{cs} - V_{in}} \quad (3.30)$$

as in Eqs. (3.27 and 3.28) the average input power during boost region ($t_x \sim T/4$), can be written as,

$$P_{T1,boost} = \frac{1}{T/4 - 2t_x} \int_{t_x}^{\frac{T}{4}} P_{T1} dt = \frac{1}{T/4 - 2t_x} \int_{t_x}^{\frac{T}{4}} \frac{D^2 T_s}{2L_{PFm}} \frac{V_{cs} v_{in}(t)^2}{V_{cs} - v_{in}(t)} dt \quad (3.31)$$

and the average power directly transferred to load though $T2$ during boost region is equal to the output power,

$$P_{T2,boost} = P_o = \frac{V_o^2}{R_L} \quad (3.32)$$

E. Steady-state balance

In steady-state, the voltage across the intermediate bus capacitor is constant; then from Figure 3-11 we can write the general equation for steady-state as,

$$\left(P_{T1,boost} - P_{T2,boost}\right)\left(\frac{T}{4} - t_x\right) = P_{T2,Flyback}(t_x) \quad (3.33)$$

substituting Eqs. (3.28, 3.31, and 4.33) in Eq. (3.33) yields,

$$\frac{V_{cs} D^2 T_s}{2L_{PFm}} \int_{t_x}^{\frac{T}{4}} \frac{v_{in}(t)^2}{V_{cs} - v_{in}(t)} dt = \frac{V_o^2 T}{4R_L} - \frac{V_P^2 D^2 T_s}{2L_{PFm}} \left(\frac{t_x}{2} - \frac{\sin(2\omega t_x)}{4\omega}\right) \quad (3.34)$$

The above equations are only applicable when the DC-DC cell operates in CCM during entire line period. When load is very light or L_o is low, the DC-DC cell may enter DCM. In DCM, the duty cycle will keep changing according to input instantaneous voltage in order to keep tight output voltage regulation.

Equations (3.21, 3.22, 3.23 and 3.34) show the relationship between intermediate bus voltage and other circuit parameters. It is a transcendental equation that can be solved by software, such as MathCAD[®].

F. Condition to operate the PFC cell in DCM

In order to achieve high power factor, the PFC cell should always operate in DCM. The maximum charging voltage and the minimum discharging voltage across transformer T1, all happens at $T/4$, when $V_{in}(T/4) = V_P$. At that time the PFC cell will be processing the maximum power

during the line cycle and the PFC cell will operate in DCM for the entire line period if it operates in DCM at T/4.

In order to keep the PFC cell in DCM, we can obtain the following condition for the discharge time in the boost region,

$$\Delta t_2(\text{boost}) \leq (1-D)T_s \quad (3.35)$$

substituting for $\Delta t_2(\text{boost})$ from Eq. (3.18) we find,

$$D \leq \frac{V_{cs} - V_p}{V_{cs}} \quad (3.36)$$

In addition the intermediate bus voltage should always satisfy the following condition,

$$V_{cs} \leq V_p + n_1 V_o \quad (3.37)$$

G. Condition to operate the DC-DC cell in CCM

For L_o , the lowest load current occurs when the flyback branch is providing its maximum power to the output at $t=t_x$. If the DC-DC cell operates in CCM at that time, we can guarantee the CCM operation for the entire line cycle. The following condition has to be met for CCM operation,

$$I_{Lo,ave} > \frac{\Delta I_{Lo}}{2} \quad (3.38)$$

where,

$$\Delta I_{L_o} = I_{L_o,\max} - I_{L_o,\min} \quad (3.39)$$

From the Modes of operation, we can find $I_{L_o,\max}$ and $I_{L_o,\min}$ as follows,

$$I_{L_o,\max} = \left(\frac{V_{cs}(1-D)}{n_2} - V_o \right) \frac{DT_s}{L_o} + I_{L_o,\min} = \frac{V_o T_s}{2L_o} (1-2D) + I_{L_o,\min} \quad (3.40)$$

$$I_{L_o,\min} = \left(\frac{V_{cs}D}{n_2} - V_o \right) \frac{(1-D)T_s}{L_o} + I_{L_o,\max} = -\frac{V_o T_s}{2L_o} (1-2D) + I_{L_o,\max} \quad (3.41)$$

hence,

$$\Delta I_{L_o} = \frac{V_o T_s}{2L_o} (1-2D) \quad (3.42)$$

The average power transferred to the output through the transformer T2 in the flyback region is,

$$P_{T2} = V_o I_{L_o,ave} \quad (3.43)$$

and from Eq. (3.38) we find that,

$$P_{T2} > \frac{V_o^2 T_s}{4L_o} (1-2D) \quad (3.44)$$

also the power delivered to the output by T2 is equal to the difference between the output power and the input power, hence,

$$\begin{aligned} P_{T2}(t_x) &= P_o - P_{in}(t_x) \\ &= P_o - \frac{V_p^2 \sin^2(\omega t_x) D^2 T_s}{2L_{PFM}} \end{aligned} \quad (3.45)$$

From Eq. (3.44) and Eq. (3.45) we can find that,

$$P_o - \frac{V_p^2 \sin^2(\omega t_x) D^2 T_s}{2L_{PFM}} > \frac{V_o^2 T_s}{4L_o} (1 - 2D) \quad (3.46)$$

Eq. (3.46) can lead us to the critical output inductance value for CCM operation as,

$$L_{o,crit} = \frac{V_o^2 T_s (0.5 - D)}{2P_o - \frac{D^2 T_s (V_{cs} - n_1 V_o)^2}{L_{PFM}}} \quad (3.47)$$

3.3.3 Design Curves

In order to describe the input /output characteristics, we can define the AC-DC conversion ratio as,

$$M = \frac{V_o}{V_p} \quad (3.48)$$

we also can define the load time constant as,

$$\tau_n = \frac{L_{PFm}}{R_L T_s} \quad (3.49)$$

Based on Eq. (3.48) and (3.49) we can rewrite a new set of normalized equations as,

$$t_x = \frac{1}{\omega} \sin^{-1} \left(\frac{M}{M_1} - Mn_1 \right) \quad (3.50a)$$

$$n_2 = \frac{2D(1-D)}{M_1} \quad (3.50b)$$

$$\int_{t_x}^{T/4} \frac{\sin(\omega t)^2}{1 - (M_1/M)\sin(\omega t)} dt + \int_0^{t_x} \sin^2(\omega t) dt = \frac{M^2 \tau_n T}{2D} \quad (3.50c)$$

$$D < 1 - \frac{M_1}{M} \quad (3.50d)$$

$$1 < \frac{M_1}{M} + M_1 n_1 \quad (3.50e)$$

These equations can be solved numerically using MathCAD to investigate the converter characteristics. Figure 3-12 shows a sample MathCAD solve block used in obtaining the characteristics curves.

Given

$$D < 1 - \frac{M1}{M} \qquad 1 < \frac{M1}{M} + n_1 \cdot M1$$

$$n_2 = \frac{2 \cdot D \cdot (1 - D) \cdot 1}{M1}$$

$$t_x = \frac{1}{w} \cdot \text{asin}\left(\frac{M}{M1} - n_1 \cdot M\right)$$

$$1 \cdot \int_{t_x}^{\frac{T}{4}} \frac{\sin(w \cdot t)^2}{1 - \frac{M1}{M} \cdot \sin(w \cdot t)} dt + 1 \cdot \int_0^{t_x} \sin(w \cdot t)^2 dt = M^2 \cdot \tau_n \cdot \frac{T \cdot D^2}{2}$$

$$S(D, \tau_n, n_1, n_2) := \text{Find}(t_x, M1, M)$$

Figure 3-12 MathCAD Numerical Solve Block

We can see that there are seven variables and only three equations. As a result, four of the variables should be fixed and the sheet can solve for the remaining variables. The conversion characteristic curves of the gain (M) vs. duty cycle (D) under different values of normalized load (τ_n) are obtained from above equations for fixed values of n_1 and n_2 , as shown in Figure 3-13. The effect of the values of n_2 and n_1 are shown in Figure 3-14 and Figure 3-15 respectively. By studying these sets of curves we can examine the input regulation capabilities of the converter. We can see that under wide input range, like universal input from 88-264V, the converter will operate most of

the time at low duty cycle when the supplied voltage is 220V. To further investigate that case, consider the gain (M) under that range. The gain will vary between 0.1-0.3. For the specific case of an input voltage of 220V, the gain is 0.13, which will lead to a duty cycle less than 0.15. That operation will introduce a large mismatched current between the two switches. Nevertheless, the converter can still handle the operation of the universal line input.




Figure 3-13 M vs. D under different τ_n values




Figure 3-14 M vs. D under different n_2 values




Figure 3-15 M vs. D under different n_1 values




Figure 3-16 Storage capacitor voltage of the converter

The curves also provide information about the output regulation capabilities of the converter and how to choose the right value for the normalized load. For example, at load $\tau_n=0.5$, a $\pm 20\%$ variation in the line voltage requires the duty ratio to change by 25% to maintain a constant output. As a result, the worst load variation has to be confined to the limits of the line voltage variation to make sure that the converter will work correctly under any condition. The curves in Figure 3-16 investigate the bulk capacitor voltage variation in terms of line voltage and load changes. Such curves can also help the designer to optimize the voltage across the bulk capacitor, maintaining it at a minimum level. From the figure we notice that load

changes have only a very small effect on the V_{Cs} , while line voltage changes will affect it significantly.

3.3.4 Design Examples

Let us consider the following specifications as a design example:

Nominal input voltage: $v_{in}(t)=110 \text{ V}_{rms}$

Output voltage: $V_o=28 \text{ V}$

Nominal load current: $P_o=150 \text{ Watt}$

Switching frequency: $f_s=200 \text{ kHz}$

Some basic calculations are carried out at the beginning of the design:

$$V_p = 110\sqrt{2} = 155.56V$$

$$R_L = \frac{V_o^2}{P_o} = 5.2\Omega$$

$$\omega = 2\pi 50 = 314.59 \text{ rad / sec}$$

To obtain the converter parameters we can use the following design guidelines.

a. Nominal duty ratio D and the storage capacitor voltage:

As a compromise between the voltage stress and regulation capabilities, let us select $D=0.24$. From the DCM condition on the PFC cell, we can calculate the minimum bus voltage to reduce the switch's losses.

$$V_{cs,\min} = \frac{V_p}{1-D} = 204.7V$$

we should choose V_{cs} to be greater than this minimum value to guarantee stable operation, so we choose $V_{cs}=232V$.

b. The output transformer turns ratio n_2 :

From the DC-DC cell gain we can solve for n_2 as,

$$n_2 = \frac{2D(1-D)V_{cs}}{V_o} \approx 3.023$$

we can choose n_2 to be 3 and recalculate V_{cs} as 230.26.

c. The choke inductance L_{PFm} and the flyback transformer turns ratio n_1 :

In order to solve for L_{PFm} and n_1 , we have to resolve the MathCAD sheet numerically, for n_1 vs. τ_n . the resulted curve is shown in Figure 3-17.




Figure 3-17 Numerical Solution for n_1 vs. τ_n

We can see that the lowest turns ratio that satisfies the equations is greater than 2.5. While any point on this curve is a valid solution, we can see that the higher n_1 we choose, the larger L_{PFm} will be. That will reflect on the peak current in the circuit. To reduce the losses we have to choose large choke inductor value hence the cost and size of the converter will be affected. On the other hand, if we choose high turns ratio, more power will be processed twice, and the overall efficiency will be degraded.

As a compromise between switching and conduction losses, we can choose $\tau_n=1$, and from Figure 3-17, we find $n_1=3.7$ and hence $L_{PFm}=46\mu\text{H}$. For this design, approximately 29% of the output power will be delivered directly through the flyback transformer.

d. The output inductor value L_o :

To guarantee CCM operation for the output inductor, we can use Eq. (3.47) to calculate its critical value. We can find that $L_{o,crit.}=6.1\mu\text{H}$. We can choose L_o to be $50\mu\text{H}$.

e. Line voltage and load variation:

After extracting the circuit parameters for the given specifications, we should consider the line voltage and the load variations. One must ensure that even at these extremes, the equations still have valid solutions and a valid value for the duty ratio (D). Otherwise, the first chosen value for D should be changed and the design step from a-e repeated.

3.3.5 Simulation and Experimental Results

By using the above circuit parameters, the closed-loop PSPICE simulation of the proposed converter has been carried out over one line cycle and the simulation results are shown in Figure 3-18. It is clear from Figure 3-18 that the input current is following the line voltage, which promises high power factor. The two regions of operation, flyback and boost, can be identified in the figure as well. When the rectified input voltage is low, the flyback transformer, T_1 , will transfer the energy from the input to the output directly. In the other region it propagates through the two cells to the output inductor causing the average output inductor current to rise slightly.

Figure 3-19 and Figure 3-20 show the experimental results obtained from prototyping the simulated circuit to verify its operation. Experimental waveforms of input current and voltage are shown in Figure 3-19. The measured Power Factor was 0.986. Figure 3-20 shows an efficiency of about 84% for 150W@28V output operating at 200 kHz, which is a significant improvement over the old AHBC by about 3%.




Figure 3-18 Simulation Waveforms of the Proposed Converter, First trace: Line Voltage, Second trace: Input Current, Third trace: Flyback Current, Fourth trace Output Inductor Current




Figure 3-19 Line current (upper trace) and Line voltage (lower trace)




Figure 3-20 Efficiency versus Line voltage

3.4 Summary

An improved Asymmetric Half-Bridge Soft-Switching PFC Converter was introduced in this chapter. By replacing the boost inductor with a flyback transformer, the energy can be directly delivered to the output during low line voltage. The simple implementation and the high efficiency of the proposed converter promise commercial advantage while the selected topologies will provide high quality performance in terms of PFC and output regulation. Steady state analysis shows that there exist three Modes of operation either in the flyback or boost regions. Experimental results have shown efficacy improves and high PFC was achieved. The proposed converter is believed to be competitive in today's single-stage, PFC market. On the other hand, while universal line operation can be achieved using this topology, a high input voltage results in a small duty ratio resulting in a

large mismatch in the switch currents. Further, these mismatches may affect the soft switching capabilities of the converter.

CHAPTER 4 ANALYSIS, DESIGN, AND OPTIMIZATION OF THE BI-FLYBACK CONVERTER

4.1 Introduction

In the previous chapters, the direct power transfer concept (parallel power transfer) was discussed in detail for the Asymmetric Half Bridge Converter (AHBC). This concept can improve the performance of the single-stage PFC scheme. By carefully designing the flyboost PFC cell, the intermediate bus voltage can be controlled to less than $V_{in,peak} + n_1 V_o$. For universal input applications, this voltage is still high on the bulk capacitor. The peak value of the maximum universal input voltage is 375V. Normally, $n_1 V_o$ will be chosen equal to the peak value of the minimum input voltage, which is about 120V. As a result, the intermediate bus voltage will be around 495V, which requires a bus capacitor with a rating around 550V, 100V more than the economic 450V capacitor that is used in most of today's power supplies.

In the boost topology, the output voltage (bus voltage) will be at least $V_{in}/(1-D)$. This is the minimum bus voltage required for basic boost steady-state operation. In order to reduce the bus voltage, a voltage source should be introduced to boost the inductor charging and/or discharging path [29, 41, 42]. Adding the voltage source in the discharging path is preferred since it will not influence the input current waveform.

The BIFRED topology shown in Figure 4-1 is a good example for this implementation in universal input applications, because of its high power factor and low bus voltage. The DC-DC stage's transformer is located in the boost inductor charging path, and the intermediate bus voltage can be reduced by the reflected output voltage value by the DC-DC transformer. When the DC-DC cell operates under DCM, the intermediate bus can be less than 400VDC. On the other hand, the power component in this topology suffers from high current stresses because the DC-DC cell has to operate under DCM to limit the maximum intermediate bus voltage.




Figure 4-1 BIFRED Topology for Single-stage PFC Applications

In this chapter, the Bi-flyback topology is introduced for single-stage PFC application[41]. This topology is derived from the BIFRED topology using the Flyboost direct energy transfer scheme. It adopts the advantages of both schemes to achieve better performance. Figure 4-2 shows the basic

topology. Since both flyback circuits share the main switch and output capacitors, this topology is named the Bi-flyback topology.

With the help of the direct power transfer scheme, this topology can have an intermediate bus voltage as low as the peak input voltage. In other words, the maximum intermediate bus voltage can be less than 400VDC for universal input applications, and the voltage stress across main switch will be less than 600VDC. Any 450V bulk capacitor and 600V economical MOSFET can be used to meet the low cost requirement.

In this chapter, the operation of this topology will be reviewed, and the experimental results will prove the claimed advantage.

4.2 Principle of Operation

In this section, the principle of operation of the bi-flyback converter will be examined. As shown in Figure 4-2, the Bi-flyback converter consists of a boost converter that was integrated with a flyback converter on its output stage. By adding an additional winding to the boost inductor, another flyback converter is constructed creating a parallel path to the output. The PFC inductor, L_{m1} , can discharge its energy to the bus capacitor, C_s , and the output capacitor, C_o , through the DC-DC flyback transformer, T_2 , and D_2 , or discharge it directly to the output through T_1 .




Figure 4-2 The Bi-flyback Topology

The input line voltage dictates the discharge path of the boost inductor, along with the voltage across the bus capacitor and the turn ratios n_1 and n_2 . The mechanism of discharge can be understood by considering the voltage across the input diode, D_{in} , when the main switch S turns off. If the voltage across the diode is greater than zero, the boost inductor will discharge to the bus and output capacitors. This Mode will be called the *Boost Mode* because the magnetizing inductor of T_1 will act as a boost inductor. Otherwise, the magnetizing inductor will discharge to the secondary winding of T_1 similar to the normal flyback operation, and hence this Mode will be called *Flyback Mode*. The conditions that govern this operation are given as,

$$|v_{in}(t)| < V_{CS} + (n_2 - n_1)V_o \quad (\text{Flyback Mode}) \quad (4.1)$$

$$|v_{in}(t)| > V_{CS} + (n_2 - n_1)V_o \quad (\text{Boost Mode}) \quad (4.2)$$

Considering the converter operation during a line cycle, the converter will change the Mode of operation according to equations (4.1) and (4.2), this is further illustrated in Figure 4-3. The boundary Mode condition happens at t_x , which can be given by,

$$t_x = \frac{1}{\omega} \cdot \arcsin\left(\frac{V_{cs} + n_2 \cdot V_o - n_1 \cdot V_o}{V_p}\right) \quad (4.3)$$

In the following subsections the converter operation will be analyzed based on these Modes of operation. During this analysis the L_{m1} is assumed to be operating in DCM condition to achieve automatic PFC, and L_{m2} in CCM to reduce the peak current in the DC-DC converter.






Figure 4-3 Modes of Operation during a Line Cycle

4.2.1 Flyback Operation Mode


During the flyback operation Mode, T1 will operate as a flyback converter and discharges its energy directly to the output. The DC-DC converter will deliver the needed power from the storage capacitor to the output to keep tight output regulation. During this Mode, there are three time intervals that characterize the converter operation, as shown in Figure 4-4. The associated waveforms for these intervals are shown in Figure 4-5.



(a) Interval 1 (t_0 - t_1)



(b) Interval 2 (t_1-t_2)



(c) Interval 3 (t_2-T_s)

Figure 4-4 Equivalent Circuits for the Three Intervals during the Flyback Mode




Figure 4-5 Key Waveforms during Flyback Mode Operation

Interval 1 (t_0 - t_1):

The switch is turned on at t_0 . The magnetizing inductor current, i_{Lm1} , is charging linearly from the main rectified input voltage, while i_{Lm2} is charging from the bus capacitor. The following expressions are obtained for the main waveforms,

$$i_{Lm1}(t) = i_{in} = \frac{V_g}{L_{m1}} \cdot (t - t_0) \quad (4.4)$$

$$i_{Lm2}(t) = \frac{V_{cs}}{L_{m2}} \cdot (t - t_0) + i_{Lm2}(t_0) \quad (4.5)$$

$$i_S(t) = i_{Lm1}(t) + i_{Lm2}(t) \quad (4.6)$$

$$i_{p1} = i_{p2} = i_{D1} = i_{D2} = i_o = 0 \quad (4.7)$$

where V_g is the instantaneous value of the input voltage $v_{in}(t)$, which is assumed constant during the switching cycle.

Interval 2 (t_1 - t_2):

The switch turns off at t_1 causing the magnetizing inductor current of T_1 , i_{Lm1} , to discharge directly to the output through D_1 . This is due to the fact that D_{in} will be blocked according to the boundary Mode equation. The magnetizing inductor current of T_2 , i_{Lm2} , will discharge to the output through D_2 . The following expressions are obtained for the main waveforms during this interval,

$$i_{in} = i_S = 0 \quad (4.8)$$

$$i_{Lm1}(t) = i_{p1} = \frac{-n_1 \cdot V_o}{L_{m1}} \cdot (t - t_1) + i_{Lm1}(t_1) \quad (4.9)$$

$$i_{Lm2}(t) = i_{p2} = \frac{-n_2 \cdot V_o}{L_{m2}} \cdot (t - t_1) + i_{Lm2}(t_1) \quad (4.10)$$

$$i_{D1}(t) = n_1 \cdot i_{Lm1}(t) \quad (4.11)$$

$$i_{D2}(t) = n_2 \cdot i_{Lm2}(t) \quad (4.12)$$

$$i_o(t) = i_{D1}(t) + i_{D2}(t) \quad (4.13)$$

$$V_S = V_{cs} + n_2 \cdot V_o \quad (4.14)$$

Interval 3 (t_2-T_s):

At t_2 , all the magnetizing energy in T_1 is discharged to the output and i_{Lm1} reach zero current. i_{Lm2} will continue to discharge to the output at the same conditions. Because CCM operation was assumed for the DC-DC converter, this switching interval ends at T_s and another switching cycle begins. The main equations for this interval are shown below,

$$i_{in} = i_S = i_{Lm1}(t) = i_{p1} = i_{D1}(t) = 0 \quad (4.15)$$

$$i_{Lm2}(t) = i_{p2}(t) = \frac{-n_2 \cdot V_o}{L_{m2}}(t - t_2) + i_{Lm2}(t_2) \quad (4.16)$$


$$i_{D2}(t) = i_o(t) = n_2 \cdot i_{Lm2}(t) \quad (4.17)$$

$$V_S = V_{cs} + n_2 \cdot V_o \quad (4.18)$$


4.2.2 Boost Operation Mode

When $t > t_x$, D_{in} starts to conduct when the switch turns off and the converter enters boost Mode operation. The main difference between the flyback and boost operation Modes is in the operation of the transformer T_1 , which will influence the energy discharge path. In boost Mode, the magnetizing inductor L_{m1} will act as a boost inductor, delivering its energy to


directly to the output through T_2 and also charging the bus capacitor C_s at the same time.



(a) Interval 1 (t_0 - t_1)



(b) Interval 2 (t_1 - t_2)



(a) Interval 3 (t_2-T_s)

Figure 4-6 Equivalent Circuits for the Three Intervals during the Boost Mode




Figure 4-7 Key Waveforms during Boost Mode Operation

Interval 1 (t_0-t_1):

This interval is similar to the flyback interval 1. The switch is turned on at t_0 . The magnetizing inductor current, i_{Lm1} , is charging linearly from the main rectified input voltage, while i_{Lm2} is charging from the bus capacitor. The equations that described the main current waveforms are similar to the interval 1 equations in the flyback Mode.

Interval 2 (t_1-t_2):

The switch turns off at t_1 . Unlike in the flyback Mode, the input current is high enough to turn on the input diode, D_{in} . This will force the magnetizing inductor current of T_1 , i_{Lm1} , to discharge through T_1 and directly to the output through D_1 . At the same time this current will also start charging the bus capacitor C_s . The magnetizing inductor current of T_2 , i_{Lm2} , will discharge to the output through D_2 . The following expressions are obtained for the main waveforms during this interval,

$$i_S = i_{p1} = i_{D1} = 0 \quad (4.19)$$

$$i_{Lm1}(t) = i_{in} = \frac{-V_{cs} - n_2 V_o + V_g}{L_{m1}}(t - t_1) + i_{Lm1}(t_1) \quad (4.20)$$

$$i_{Lm2}(t) = \frac{-n_2 V_o}{L_{m2}}(t - t_1) + i_{Lm2}(t_1) \quad (4.21)$$

$$i_{p2}(t) = i_{Lm1}(t) + i_{Lm2}(t) \quad (4.22)$$

$$i_{D2}(t) = i_o(t) = n_2 i_{p2}(t) \quad (4.23)$$

$$V_S = V_{cs} + n_2 \cdot V_o \quad (4.24)$$

Interval 3 (t_2-T_s):

The operation of the converter in interval 3 is similar to the flyback Mode.

4.3 Steady State Analysis

This section will address the steady state operation of the bi-flyback converter over the input line cycle. The previous section shed some light on the converter operation in steady-state for the flyback and the boost Modes. This analysis was based on the switching interval. Since the converter will be operating from a varying input voltage, the analysis will be expanded here to uncover the important relations and equations that govern the converter operation during the line cycle. For example, one of the most important parameters for the circuit design is the bus voltage across the storage capacitor, C_s . In order to derive the V_{Cs} equation, the energy balance equation should be derived across the line cycle.

The power waveforms of key circuit components are shown in Figure 4-8, assuming unity power factor. The input power will have double line frequency with a peak value that is twice the average output power. It should be noted that the transition time, t_x , should occur when the input power is less than the output power. Otherwise, the converter will be supplying the

output with more power than needed. This will require over sizing the output capacitor to store this energy. In addition, this will result in double line frequency ripple to appear at the output terminal.




Figure 4-8 Power Flow Over a line cycle

During the following analysis, the following assumptions will be made,

- Ideal components, without parasitic parameters such as leakage inductance of the transformer, on resistance of the switching devices, etc.
- The input voltage will be considered constant during a switching cycle
- The switching frequency is much higher than the line frequency
- The DC bus voltage is constant during the entire line cycle.
- Constant output voltage through tight regulation
- Due to the symmetry of the power waveforms, the energy calculations will be performed on a quarter line cycle for simplification

4.3.1 Duty Cycle

The duty cycle of the switch will remain constant during a line cycle, if tight output regulation and constant bus voltage are assumed, and the DC-DC is operating in CCM. The duty cycle equation is given by,

$$D = \frac{n_2 V_o}{V_{cs} + n_2 V_o} \quad (4.25)$$

4.3.2 Intermediate Bus Voltage

In steady state, the energy discharged from the capacitor during a line cycle in the flyback and boost Modes should equal the energy that was used to charge the capacitor in the boost Mode, as shown in Figure 4-8.

$$W_{C_s_discharge}^{flyback} + W_{C_s_discharge}^{boost} = W_{C_s_charge}^{boost} \quad (4.26)$$

During the flyback Mode, it is easier to calculate the energy supplied by the storage capacitor by subtracting the output energy from the energy directly delivered to the output by L_{m1} through T_1 . The energy delivered directly to the output can be calculated by integrating the average power during a switching cycle over the time of the flyback Mode.

$$W_{L_{m1}_discharge}^{flyback} = \frac{D^2 T_s}{2L_{m1}} \int_0^{t_x} vin(t)^2 dt \quad (4.27)$$

As a result the final equation for the discharged energy from C_s can be given by,

$$\begin{aligned} W_{C_s_discharge}^{flyback} &= P_o t_x - W_{L_{m1}_discharge}^{flyback} \\ &= P_o t_x - \frac{D^2 T_s}{2L_{m1}} \int_0^{t_x} vin(t)^2 dt \end{aligned} \quad (4.28)$$

In the boost Mode, the charged energy to the storage capacitor can be calculated based on the average discharge current of $I_{L_{m1}_discharge}$ shown in Figure 4-7 as follows,

$$\begin{aligned}
W_{Cs_scharge}^{boost} &= \int_{t_x}^{T/4} V_{cs} I_{Lm1_discharge} dt \\
&= \frac{D_2 T_s V_{cs}}{2L_{m1}} \int_{t_x}^{T/4} \frac{v_{in}(t)^2}{V_{cs} + n_2 V_o - v_{in}(t)} dt
\end{aligned} \tag{4.29}$$

The discharged energy from the bus capacitor in the boost Mode can be found from the power processed through T_2 to the output reflected to the primary side. Since the storage capacitor will compensate for the energy needed by the output, the energy consumed from the capacitor is the difference between the energy transferred to the output by $I_{Lm1_discharge}$ and the actual output energy. The final equation is given by,

$$\begin{aligned}
W_{Cs_disscharge}^{boost} &= \int_{t_x}^{T/4} \left(\frac{I_o}{n_2} I_{Lm1_discharge} \right) n_2 V_o dt \\
&= \int_{t_x}^{T/4} \left(P_o - \frac{D_2 T_s}{2L_{m1}} \frac{n_2 V_o v_{in}(t)^2}{V_{cs} + n_1 V_o - v_{in}(t)} \right) dt
\end{aligned} \tag{4.30}$$

based on Eqs. (4.28)-(4.30), Eq. (4.26) can be rewritten as,

$$\begin{aligned}
\frac{T_s n_2^2 V_o^2 V_p^2}{L_l (V_{cs} + n_2 V_o)} \int_{t_x}^{\frac{T}{4}} \frac{\sin(\omega t)^2}{V_{cs} + n_2 V_o - V_p \sin(\omega t)} dt &= \left(P_o \frac{T}{2} \right) \dots \\
&+ \frac{-(V_p^2 n_2^2 V_o^2 T_s)}{L_l (V_{cs} + n_2 V_o)^2} \left(\frac{t_x}{2} - \frac{\sin(2 \omega t_x)}{4 \omega} \right)
\end{aligned} \tag{4.31}$$

4.3.3 DCM Condition for the PFC Cell

In order to achieve high power factor, the PFC inductor, L_{m1} , should always operate in DCM. The worst case scenario happens when the input voltage is at its peak value, or $t=T/4$. At that time, the current in the magnetizing inductor of T_l is at its highest. The inductor is guaranteed to stay in DCM if the DCM condition was satisfied at that time. The main condition for DCM operation during that switching cycle is,

$$t_2 - t_1 \leq (1 - D)T_s \quad (4.32)$$

At $t=T/4$, the converter will be operating in the boost Mode. By applying the equations for the boost Mode, Figure 4-7, and substituting $v_{in}=V_p$ Eq. (4.32) can be reduced to,

$$V_p \leq V_{Cs} \quad (4.33)$$

4.3.4 CCM Condition for the DC-DC Cell

According to Figure 4-8, the minimum load on the DC-DC converter will happen at $t=t_x$ or $t=T/4$, depending of the design parameters as will be shown in the next section. In order to guarantee CCM for the DC-DC cell, it should be operating in CCM at both of these time instants. The necessary CCM condition can be found from Figure 4-7 as,

$$I_{Lm2_discharge} \geq \frac{\Delta I_{Lm2}(1-D)}{2} \quad (4.34)$$

Expanding Eq. (4.34) in terms of the circuit parameters will yield the following equation for the critical inductance,

$$L_{m2_crit} \geq \frac{V_{cs} \frac{T_s}{2}}{\frac{I_o}{n_2} - \frac{D^2 T_s v_{in}(t)^2}{2 L_1 (V_{cs} + n_2 V_o - v_{in}(t))}} \frac{n_2 V_{cs} V_o}{(V_{cs} + n_2 V_o)^2} \quad (4.35)$$

$$v_{in}(t_x) = V_{cs} + (n_2 - n_1) V_o \quad (4.36)$$

$$v_{in}\left(\frac{T}{4}\right) = V_p \quad (4.37)$$

substituting Eqs. (4.36) and (4.37) into Eq. (4.35) alternatively will guarantee CCM operation for the DC-DC cell.

4.4 Design Equations and Methodology

The main design parameters for the bi-flyback circuit are: n_1 , n_2 , L_{m1} , and L_{m2} . From the previous sections, there are only two main equations that can be used in the design, which are Eqs. (4.35) and (4.3), for the bus voltage, V_{Cs} and the transition time, t_x , respectively. In addition, there are the limits for the DCM operation of L_{m1} and CCM operation for L_{m2} , which are given in

Eqs. (4.33) and (4.35). In order to properly design the converter, more conditions and design equations are needed.

4.4.1 Main Equations and Design Curves

For a proper design, the peak power delivered directly to the output should not exceed the output power at any time. Otherwise, the output capacitor will be used as a storage element, and double line frequency ripple will be seen at the output; violating the tight output regulation requirement. For this reason, the instantaneous average power delivered directly to the output was plotted in Figure 4-9. The peak power transfer occurs at t_x in the flyback Mode and $T/4$ in the boost Mode.




Figure 4-9 Direct Transferred Power to the Output during Line Cycle

the equations for the peak power transfer are given by,

$$P_{Direct_flyback_max} = \frac{D^2 T_s v_{in}(t_x)^2}{2 L_{m1}} \quad (4.38)$$

$$P_{Direct_boost_max} = \frac{D^2 T_s v_{in} \left(\frac{T}{4}\right)^2 n_2 V_o}{2 L_{m1} \left(V_{cs} + n_2 V_o - v_{in} \left(\frac{T}{4}\right) \right)} \quad (4.39)$$

For the design of the bi-flyback converter, Eq. (4.38) can be used to calculate the value for L_{m1} , while Eq. (4.39) can be used to derive the value n_2 . We can notice that the value of L_{m2} will not affect the direct power in the above equations, nor the bus voltage as given in Eq. (4.31). As a result, the value of L_{m2} can be calculated from Eqs. (4.35) - (4.37). The last unknown in the design is n_1 , which can be calculated from Eq. (4.31) if V_{Cs} is given.

One of the most important pieces of the puzzle is the THD and PF values. The input current equation can be found from the steady -state analysis, then the THD and PF values can be obtained using Fourier analysis as outlined in the following Eqs. (4.40) to (4.46),

$$I_{rms} = \sqrt{\frac{1}{T} \int_0^T i_{in}(t)^2 dt} \quad (4.40)$$

$$a_I = \frac{2}{T} \int_0^T i_{in}(t) \cos(w t) dt \quad (4.41)$$

$$b_I = \frac{2}{T} \int_0^T i_{in}(t) \sin(w t) dt \quad (4.42)$$

$$C_I = \sqrt{a_I^2 + b_I^2} \quad (4.43)$$

$$I_{rms1} = \frac{C_1}{\sqrt{2}} \quad (4.44)$$

$$THD_i = \sqrt{\left(\frac{I_{rms}}{I_{rms1}}\right)^2 - 1} \quad (4.45)$$

$$PF = \frac{I_{rms1}}{I_{rms}} \quad (4.46)$$

In order to understand the trade-offs in the design, the following analysis will be done to create a comprehensive design curves for the flyback converter under different design parameters. First, the peak direct power transferred to the output, $P_{Direct_flyback_max}$ and $P_{Direct_boost_max}$, will be assumed to be equal = P_D , Eq. (4.47). Then a numerical solve block will be created to solve for V_{Cs} , t_x , L_{m1} , n_2 , for a given value of P_D and n_1 , as shown in Figure 4-10.

$$P_{Direct_flyback_max} = P_{Direct_boost_max} = P_D \quad (4.47)$$

Given

$$\frac{T_s \cdot n_2^2 \cdot V_o^2 \cdot V_p^2}{L_1 \cdot (V_{cs} + n_2 \cdot V_o)} \int_{t_x}^T \frac{\sin(w \cdot t)^2}{V_{cs} + n_2 \cdot V_o - V_p \cdot \sin(w \cdot t)} dt = P_o \cdot \frac{T}{2} - \frac{V_p^2 \cdot n_2^2 \cdot V_o^2 \cdot T_s}{L_1 \cdot (V_{cs} + n_2 \cdot V_o)^2} \cdot \left(\frac{t_x}{2} - \frac{\sin(2 \cdot w \cdot t_x)}{4 \cdot w} \right)$$

$$t_x = \frac{1}{w} \cdot \text{asin} \left(\frac{V_{cs} + n_2 \cdot V_o - n_1 \cdot V_o}{V_p} \right)$$

$$V_{cs} \geq V_p$$

$$V_{cs} < V_p + n_1 \cdot V_o - n_2 \cdot V_o$$

$$\frac{\left(\frac{n_2 \cdot V_o}{V_{cs} + n_2 \cdot V_o} \right)^2 \cdot T_s}{2 \cdot L_1} \cdot (V_{cs} + n_2 \cdot V_o - n_1 \cdot V_o)^2 = P_D$$

$$\frac{\left(\frac{n_2 \cdot V_o}{V_{cs} + n_2 \cdot V_o} \right)^2 \cdot T_s \cdot V_p^2 \cdot n_2 \cdot V_o}{2 \cdot L_1 \cdot (V_{cs} + n_2 \cdot V_o - V_p)} = P_D$$

$SB(n_1, P_D) := \text{Find}(V_{cs}, t_x, L_1, n_2)$

Figure 4-10 MathCAD Solve Block

The solve block was used to general the following set of curves, for the these circuit parameters: $V_{in,rms}=110V$, $F=50Hz$, $V_o=20V$, $P_o=100W$, $F_s=100kHz$. The variation in the storage capacitor voltage is shown in Figure 4-11. The bus voltage will decrease when the peak direct power increases, and increase when n_1 increases. The average direct power transferred to the output also increases when the peak power increases, and when the turn ratio n_1 increases as well, as shown in Figure 4-12. It should be noted that for each 10% increase in the peak power, the average power increases 5%, half the value. The maximum average direct energy transferred to the output caps around 55%. While this is a physical limitation, there are other limits

that will act to reduce this value as the THD and PF restriction that will be discussed next. While it is desirable to maximize the average power transferred directly to the output, the main drive for this topology is to reduce the losses and current stress on the switch. For this reason, the average RMS switch current during a switching cycle was derived, Eq. (4.48), then averaged over a line cycle, and the results are plotted in Figure 4-13. It should be noted that it is desirable to increase direct power transferred to reduce the switch conduction losses, but actually the relation is not linear. Increasing the peak power from 50% to 60% has a big effect on the switching current, but increasing it further does little, a peak power increase from 80% to 90% results in almost no change. Another observation in the sweet-spot between n_1 values of 3 to 4.

$$I_{SW_RMS}(t) = \left[\frac{I_o}{n_2} + \frac{D^2 T_s v_{in}(t)^2}{2 L_1 (V_{cs} + n_2 V_o - n_1 V_o)} \right] \frac{n_2 V_o}{V_{cs}} \sqrt{D} \sqrt{1 + \frac{1}{3} \left[\frac{\frac{V_{cs} D T_s}{L_2}}{\left[\frac{I_o}{n_2} + \frac{D^2 T_s v_{in}(t)^2}{2 L_1 (V_{cs} + n_2 V_o - n_1 V_o)} \right] \frac{n_2 V_o}{V_{cs}}} \right]^2} + \frac{v_{in}(t) D T_s}{L_1} \sqrt{\frac{D}{3}} \quad (4.48)$$




Figure 4-11 Bus Capacitor Voltage versus n_1 for Different P_D Values




Figure 4-12 Average Power Percentage Directly Delivered to the Output versus n_1 for Different P_D Values




Figure 4-13 RMS value of the Switch Current versus n_1 for Different P_D Values

In order to meet the regulatory requirement, such as IEC 100-3-2 Class D, 45% THD and 0.9 PF are usually required. For this purpose, the THD and the PF curves were plotted in Figure 4-14 and Figure 4-15 respectively. As expected, the input current distortion increases if P_D increases. This demands peak power reduction in order to meet regulatory requirements. However, this problem can be mitigated by increasing the turns ratio n_1 , which will have negative consequences in terms of increased bus voltage as well as larger component ratings that will incur more losses, as will be shown next.




Figure 4-14 THD versus n_1 for Different P_D Values




Figure 4-15 PF versus n_1 for Different P_D Values

An important part of the design is to study the trade-offs in component sizing. In order to understand how the transformer's size will be affected by

the selection of n_1 and P_D values, these relationships have been plotted in Figure 4-16 - Figure 4-18, for L_{m1} , L_{m2} and n_2 respectively. It can be noted that enhancing the THD and PF will come in the expenses of increasing the size of the transformers, especially T_2 where L_{m2} value rises sharply with increasing n_2 .




Figure 4-16 L_{m1} versus n_1 for Different P_D Values




Figure 4-17 L_{m2} versus n_1 for Different P_D Values




Figure 4-18 n_2 versus n_1 for Different P_D Values

4.4.2 Stress Equations

Stress equations are important for sizing the semiconductor components.

The peak value I_{Lm1_max} and I_{Lm2_max} will be used for this purpose,

$$I_{Lm1_max}(t) = \frac{D T_s V_p}{L_1} \quad (4.49)$$

$$I_{Lm2_max} = \frac{I_o}{n_2} - \frac{D^2 T_s V_p}{2 L_1 (V_{cs} + n_1 V_o - V_p)} + \frac{V_{cs} D T_s}{2 L_2} \quad (4.50)$$

The MOSFET has to handle the maximum current in both magnetizing inductors summed together when the switch is on,

$$I_{SW_PK} = I_{Lm2_max} + I_{Lm1_max} \quad (4.51)$$

The diodes D1 and D2 have to withstand even higher peak current because of their location in the low voltage side of the circuit.

$$I_{D1_PK} = n_1 I_{Lm1_max} \quad (4.52)$$

$$I_{D2_PK} = n_2 (I_{Lm2_max} + I_{Lm1_max}) \quad (4.53)$$

The voltage stress on the diodes and the switch are given by the following equations,

$$V_s = V_{cs} + n_2 V_o \quad (4.54)$$

$$V_{D1} = V_o + \frac{V_p}{n_1} \quad (4.55)$$

$$V_{D2} = V_o + \frac{V_{cs}}{n_2} \quad (4.56)$$

4.4.3 Design Example

Table 4-1 highlights the main specifications for the design example, which are typical for notebook power supply.

Table 4-1: Bi-flyback Design Specifications

Input Voltage	Universal (85-265V _{ac,rms})
Output voltage	20V
Output Power	100 W
Switching Frequency	100kHz
Measured PF	IEC 100-3-2 Class D

The curves in Figure 4-11 - Figure 4-18, can be used as the first step in a trade-off study for this design. Starting from Figure 4-14, we can see that we need $n_1=6$ for $P_D=90\%$ and $40\%THD$. Proceeding to Figure 4-17, we can see that a very large value for L_2 will be needed (1600 μ H), and using such a large value might not be optimum point for all aspects of the design. Going back to Figure 4-14, we need $n_1=5.5$ for $P_D=80\%$, and this time the needed L_2 is only 600 μ H.

Table 4-2: Bi-flyback Design Example Calculation Results

	$(n_1=5.5, n_2=3.5, L_1=95\mu\text{H},$ $L_2=800\mu\text{H})$
V_{cs}	175V
$P_{D_flyback}$	78.6%
P_{D_boost}	80%
THD, PF	0.4, 93%
I_{Sw_PK}	5.6A
I_{D1_Age}, I_{D1_PK}	1A, 25.6A
I_{D2_Age}, I_{D2_PK}	4A, 19.6A
V_S	246A
V_{D1}	48V
V_{D2}	70V
<i>Average Direct Power</i>	43.3%

4.5 Simulation Results

The closed-loop PSPICE simulation of the proposed converter, Figure 4-19, has been carried out over one line cycle and the simulation results are shown in Figure 4-20 to Figure 4-22. It is clear from simulation waveforms

that the theoretical and simulation waveforms correspond to each other in both the flyback Mode and the boost Mode. The input current waveform in Figure 4-22 promises high power factor and match the predicted shape with slight changes due to the presence of the leakage inductance in the simulation.




Figure 4-19 Simulation Schematics for the Bi-flyback Converter




Figure 4-20 Simulation Waveforms during the Flyback Mode




Figure 4-21 Simulation Waveforms during the Boost Mode




Figure 4-22 Input Current Simulation Waveforms over Switching Cycles

4.6 Experimental Results

To verify the topology's operation, a single-stage PFC converter prototype based on the design example and simulation results were built and tested.

The main design specifications are:

- Input: 85~220V_{AC,RMS}
- Output: 21VDC @ 110W
- Switching frequency: 100kHz
- Input inductance $L_{m1} = 95\mu\text{H}$, $n_1=6$
- Primary inductance $L_{m2} = 700\mu\text{H}$, $n_2 =$, $n=3.5$

The main components include:

- MOSFET: IPP60R099CP (650V, 31A)
- Secondary diode D_1 and D_2 : MBR20200CT (200V, 20A)
- Storage capacitor C_S : 120uF / 450V
- Controller IC: UC3844

The measurement tables (Table 4-3 and Table 4-4) represent the recorded values and Figure 4-23 to Figure 4-27 are plots of some important curves that was obtained from these tables. Figure 4-23 shows the efficiency curve for the converter when operating from 110Vrms input at different power levels. The peak recorded efficiency was around 83.5% close to half rated power. Figure 4-24 shows the variation in the bus voltage at 110Vrms input and different load conditions. Figure 4-25 shows the efficiency recorded at different input voltages and at rated output power. Figure 4-26 shows the bus voltage when the input voltage was changes, and it could be noted that the voltage did not increase beyond 400V. Figure 4-27 shows the PF recorded for different input voltages. The recorded PF will comply with the regulatory requirements and ensure low harmonic contents. The input current waveform is shown in Figure 4-28 at 110Vrms input and rated output power. Since the prototype didn't include an input filter, the current waveform was not smooth but we still can correlate the average value with the simulation results in Figure 4-22. The output voltage in Figure 4-29 was AC coupled to investigate

the double line frequency ripple presence in the output waveforms. As can be seen when the converter is properly designed there is no double line frequency ripple on the output waveforms. When the input voltage was increased, the direct power transferred to the output during the flyback mode will also increase. The result in Figure 4-30 shows how the double line frequency contaminates the output voltage in this case. The converter can be designed to avoid this scenario but the direct power transferred at lower voltages will be reduced.

Table 4-3: Prototype Measurement Results for 110Vrms Input Voltage

Vin(RMS)	Vbus (V)	Vout(V)	Io(A)	Pin(W)	Po(W)	η (%)
110	178	21.65	0.75	20.5	16.2	79.2
110	177	21.64	1.14	30.3	24.7	81.4
110	177	21.63	1.53	40.3	33.1	82.1
110	176	21.62	1.94	50.7	41.9	82.7
110	175	21.6	2.41	62.5	52.1	83.3
110	172	21.6	2.7	69.8	58.3	83.6
110	171	21.59	3.07	79.4	66.3	83.5
110	170	21.57	3.55	91.9	76.6	83.3
110	164	21.55	4.23	110.1	91.2	82.8
110	157	21.52	5.19	135.8	111.7	82.2

Table 4-4: Prototype Measurement Results when the Input Voltage is changed from 85-220Vrms

Vin(RMS)	Vbus(V)	PF	Vout(V)	Io(A)	Pin(W)	Po(W)	η (%)
85	112	94.2	20.4	4.92	126.4	100.368	79.40506
110	157	93.4	21.52	5.19	135.4	111.6888	82.48804
140	210	92.5	21.49	5.21	135.4	111.9629	82.69047
160	244	91.8	21.5	5.2	134.3	111.8	83.24646
180	275	91.2	21.5	5.18	134.1	111.37	83.04996
200	305	90.4	21.52	5.18	133.7	111.4736	83.37592
220	330	89.9	21.5	5.18	133.8	111.37	83.23617




Figure 4-23 Measured Efficiency versus Output Power at 110Vrms




Figure 4-24 Measured Bus Voltage versus Output Power at 110Vrms




Figure 4-25 Measured Efficiency when the Input Voltage Varies between 85-220Vrms at Rated Output Power




Figure 4-26 Measured Bus Voltage versus Input Voltage at Rated Output Power




Figure 4-27 Measured Power Factor versus Input Voltage at Rated Output Power




Figure 4-28 Measured Input Current at rated Output Power, 110Vrms




Figure 4-29 Measured output voltage (AC coupled) at rated power, 110Vrms




Figure 4-30 Measured output voltage (AC coupled) at rated power, 180Vrms

4.7 Summary

In this chapter, the Bi-flyback topology was re-analyzed and all the design curves and the design procedures were presented. In the design process, it was demonstrated that the peak direct power delivered to the output should be controlled by design not to exceed the output power. If this should occur, the output voltage will be contaminated with voltage ripple at double line frequency. The design curves have quantified the trade-offs between bus voltage, the percentage of direct energy transferred to the output, semiconductor voltage / current stress, overall size of the magnetic components, power factor, and total harmonic distortion. This provides the designer a complete set of tools to develop optimal design points for any application. On the other hand, the analysis revealed some limitations due to the dependency between input voltage and various design parameters. For the example, in the universal input application, the power factor and THD will be at their worst at low line. The maximum bus voltage will occur at the highest input voltage and critical load. The most important limitation is related to the peak direct energy that supplied to the output. The design has to accommodate worst case scenarios in both at the lowest line voltage and highest line voltage. The peak power directly delivered to the output through the flyback Mode will occur at the highest line voltage, while the peak direct power in the boost Mode will occur at the lowest line voltage. Limiting the peak power at both of these extremes will lead to lower direct power transfer.

While this limitation will not eliminate the suitability of the converter for universal line application, it will only make it more attractive for applications with narrower voltage range. The experimental efficiency measures near 84%, while keeping tight output voltage regulation, limited bus voltage, and complying with PF and THD regulation limits.

As a future research topic, the converter should be analyzed when the output stage is operating in DCM. An optimal design point might be when the output stage is operating in CCM during a portion of the line cycle and in DCM during the other portion. This operation mechanism might also alleviate the issue of direct energy transfer variation with the input voltage.

Another interesting topic could be analyzing the converter operation while considering the leakage inductor's effect on the flyboost operation. The presence of the leakage inductor will alter the operation of the input stage and might affect the design of the converter.

CHAPTER 5 AVERAGE MODELING AND AC ANALYSIS OF PFC CONVERTERS

5.1 Introduction

Modeling and simulation play an important role in the design of power electronic systems. The classic design approach begins with an overall performance investigation of the system, under various conditions through mathematical modeling. This step is usually followed by computer simulation to verify the desired performance. Finally, prototyping should be carried out with several iterations of fine-tuning the system parameters.

Unlike traditional DC-DC converters, variations in the line current, voltage, and duty cycle cannot be ignored in the AC-DC PFC converters [43-45]. The steady state operating point fluctuates significantly at double the line frequency. In single-stage converters, the controller aims to keep a good power factor while regulating the output voltage at the same time. The choice of average modeling to study both the large and small signal characteristics of the PFC converters should be considered, especially with its adaptability to computer simulation. In PFC converters, simulation for multiple line cycles is required to reach steady state. Average model simulation reduces the simulation time considerably, eliminates convergence difficulties, all while maintaining the ability to study the dynamics of the system.

The modeling of PFC converters has not been studied thoroughly. In fact, many engineers and researchers adapted the popular averaging

technique for the analysis of DC-DC converters to the modeling of AC-DC systems. One of the most well known approaches is the state-space averaging method. This method that can be applied to any PWM converter [46, 47]. While state-space averaging is a good systematic approach, it depends on a long mathematical calculation and matrix manipulation. Recent contributions were also reported to enhance the model characteristics in Discontinuous Conduction Mode (DCM), and to extend the model to include components parasitics [48, 49]

Since the development of the state-space averaging approach, the concept of averaging has been explored extensively, and among the important contributions was the three-terminal PWM switch, shown in Figure 5-1(a) [50, 51]. Unlike state-space averaging, the PWM switch model solely follows a circuit oriented approach. In this approach, only the non-linear components are encapsulated by the three-terminal model and all other components are left untouched. This sharp contrast with the state-space averaging method made this topology independent model very popular. In addition, the PWM switch approach improves the accuracy of the DCM dynamics in the high frequency range. And finally, the model comes directly with a convenient circuit form which makes it particularly suitable for use in circuit simulation tools.

Another important contribution in the average modeling arena was the Generic Switched Inductor model (GSIM) [52-54]. The GSIM, Figure 5-1(b),

used well-defined mathematical equations to control *Behavioral dependent* sources. The unified model was efficient in modeling all the basic converters on the simulation platform, including the non-ideal parasitic resistance of the source, MOSFET, and the output capacitance ESR. What makes the GSIM stand out are its simple concept and the ability to switch between Continuous Conduction Mode (CCM) and Discontinuous Conduction Mode (DCM) in a seamless fashion, unlike the PWM switch model where the model is defined for CCM or DCM operation separately. This advantage overcomes the severe limitation other models experience during time domain simulation at wide load changes or during the simulation startup transient.




Figure 5-1 Switch Models (a) PWM Switch, (b) GSIM

The three-terminal networks mentioned encapsulate the switching elements and help in the investigation and rapid prototyping of the DC-DC converters. Other methods have also been reported in literature to aid in the simulation process [55, 56]. However, these models, while extremely useful, have a prerequisite for their use - the three-terminal network must be identified in the circuit. In the example of the single-stage PFC converters, such as the bi-flyback converter in Figure 5-2 [29, 57], there is usually more than one passive switch and it is usually separated from the active switch by the High Frequency (HF) transformer. As a result, in this example, the three-terminal cell is hard to conceptualize, especially if the leakage inductance is considered. As such, various assumptions and approximations are generally used to get past this difficulty, often sacrificing accuracy in the process.

In this situation, the conventional approach of finding such a switch or equivalent switch needs to be modified and a more generalized PWM switch should be investigated. Previous attempts to model single-stage PFC converters was limited to topology specific models [58-63]. This is due to the limitation of the existing general average models and their ability to accommodate a complex structure.




Figure 5-2 The Bi-flyback PFC Converter

This chapter presents a more generalized five-terminal switching network model that is capable of modeling DC-DC, AC-DC, and the more complex single-stage PFC converters. Since the flyback structure can be often found in PFC converters either as the front-end PFC or the output stage, the proposed model shown in Figure 5-3 encapsulates the flyback transformer, taking in account the leakage inductance, an intermediate bus input, and can address both CCM and DCM operation. It will be shown that the derived model can be easily implemented in a PSPICE subcircuit to facilitate steady-state and transient analysis and yield fast simulation with high accuracy. In addition, the model will help investigate the dynamic response of the system. The introduced model is general and can be easily used to model many converters. Further, this model is the first model that takes the leakage inductance effects in consideration, which is particularly important when the leakage inductance plays a role in the topology operation. Previous results

have highlighted the significant impact of the leakage inductance on the basic flyback converter operation in both the time and frequency domains [64].





Figure 5-3 The Proposed Five-terminal Switched Transformer Model

5.2 The Switched Transformer Model (STM) Principle of Operation

The basic principle in developing all average models is that the average inductor current can be generated from the average voltage across the inductor during a switching period, or simply the differential equation for the inductor current and voltage relation can be rewritten in terms of average values as in eq. (1).

$$L \frac{d\overline{i(t)}}{dt} = \overline{v_L(t)} \quad (5.1)$$

Assuming the average voltage across the inductor will not change significantly during the switching cycle and the switching period is much smaller than the basic time constant of the converter system.

To derive the average voltage for the inductor we should consider the various possibilities of the inductor current waveforms. For the basic non-isolated topologies operating in CCM, the average voltage can be described as a function of the voltage across the terminals and the time the switch stays ON or OFF. For the boost converter, as an example, the average voltage can be expressed by,

$$E_L = V_{in}D_{on} + (V_{in} - V_{out})D_{off} \quad (5.2)$$

In the proposed model, the voltage equation is more elaborate due to presence of two inductors, L_m and L_k . These inductors describe the magnetizing and leakage inductances respectively. In addition, it has more than the simple CCM or DCM operation, where ideally there are four combinations when each inductor operates in either CCM or DCM. For generality, the model will also consider the case when the magnetizing inductor does not discharge to the output, but will instead act as a boost inductor in series with the leakage inductance and discharge to the bus. This case can happen often during start up, heavy bus load, or due to a special PFC operation mechanism we will see in the following sections. The development will refer to the case where the magnetizing inductance discharges to the output as the *Flyback Mode*, and the *Boost Mode* when it discharges to the bus as shown in Figure 5-4.




Figure 5-4 Flyback versus Boost Operation

After deriving the inductors voltage equations the model will generate the average inductor current using basic circuit operators as shown in Figure 5-3. Then, the average terminal currents will be derived from mathematical relations between the average inductor current, the transformer turns ratio, and the duty cycle.

The last step in developing the average model is modeling the duty cycle using algebraic behavioral equations. As mentioned in the introduction, the model should automatically switch between various CCM and DCM operational combinations depending on the converter parameters and

terminal voltages. In order to address these complex Modes of operation, the proposed model will define several time periods as depicted in Figure 5-5.

$D_{on}T_s$: Time duration where the main switch is conducting

$D_{off}T_s$: Magnetizing inductor discharge time.

$D_{lk}T_s$: Leakage inductor discharge time.

$D_{out}T_s$: Time duration between the turn on of the main switch and the moment the leakage and magnetizing inductor currents are equal.




Figure 5-5 Time Duration Definition of the Proposed Model

5.3 The Switched Transformer Model (STM) Operation Modes

In this section, the operating Modes of the proposed model are discussed in detail. The main objective when creating a good average model is to

accurately identify all the possible combination of Modes with their associated charging and discharging voltages for the leakage and magnetizing inductors. This is done in order to derive the generalized equations. For simplification, the operating Mode is defined by the current conduction Mode of the magnetizing inductor followed by the leakage inductor of the switched transformer model. For example, flyback CCM+DCM means that the transformer operates like a flyback transformer, with magnetizing inductor operating under CCM and leakage inductor operating under DCM, while boost DCM+DCM means that the transformer's leakage and magnetizing inductors operate as a simple boost inductor and both are in DCM. All the waveforms associated with the Modes of operation are shown in Figure 5-6.

1) *Flyback DCM-DCM*: At light load, the flyback transformer magnetizing and leakage inductors currents are discontinuous. For this case, we can identify four operational intervals as follows:

Interval 1 ($t_0 \sim t_1$): S is turned on at t_0 . The input voltage, V_{in} , is applied to primary winding of the flyback transformer, which includes the magnetizing inductor L_m and the leakage inductor L_k . The input voltage across each inductor is voltage divided according to the inductance value. The current in both inductors is identical since both inductors operate in DCM with the same charging slope.

Interval 2 ($t_1 \sim t_2$): S is turned off at t_1 . The magnetizing inductor discharges to output through the transformer secondary winding, while the leakage inductor discharges through the V_{bus} terminal. At t_2 the leakage inductor current reaches zero and D_2 disconnects.

Interval 3 ($t_2 \sim t_3$): The magnetizing inductor continues to discharge to the output until its current reaches zero at t_3 .

Interval 4 ($t_3 \sim T_S$): During this interval, there is no current following in the model. The main switch S is turned on again at T_S , and a new switching cycle begins.

2) *Flyback CCM+DCM*: When the load increases, the current through the magnetizing inductor becomes continuous, while the current through the leakage inductance, L_k , is still discontinuous because of the difference in inductance value. As shown in Figure 5-6(b), the leakage inductor will cause some delay for the current transition between transformer primary and secondary windings.

Interval 1 ($t_0 \sim t_1$): S is turned on at t_0 . The input voltage V_{in} is applied across the magnetizing and leakage inductors, L_m and L_k . The current i_m continues to discharge with initial current, I_{m2} , while i_k will start charging from zero. The difference between the magnetizing and leakage currents reflects to the secondary of the flyback transformer. At t_1 , the leakage and magnetizing currents become equal.

Interval 2 ($t_1 \sim t_2$): At t_1 , V_{in} will charge L_m and L_k according to their inductance values. The charging will end when the S is turned off at t_2 .

Interval 3 ($t_2 \sim t_3$): i_m and i_k will discharge to the output and bus terminals respectively. At t_3 , i_k will reach zero and D_2 will disconnect.

Interval 4 ($t_3 \sim T_s$): As in flyback DCM+DCM.

3) Flyback CCM-CCM: During start-up or at high load on the bus terminal, the non-ideal flyback converter may enter a condition at which both the leakage and the magnetizing inductors operate in CCM. As shown in Figure 5-6(c), there are three operation intervals in this Mode,

Interval 1 ($t_0 \sim t_1$): S is turned on at t_0 . The input voltage V_{in} is applied across L_m and L_k . while i_m and i_k will start with initial currents I_{m2} and I_{k3} respectively, the current in magnetizing inductor is higher and until t_1 , a current-transition interval exists until both currents are equal.


Interval 2 ($t_1 \sim t_2$): As in flyback CCM+DCM

Interval 3 ($t_2 \sim T_s$): At t_2 , the main switch is turned off. The magnetizing inductor is discharged to the output through the transformer secondary winding, while the leakage inductor is discharging through V_{bus} . At T_s another switching cycle starts.


4) Boost DCM-DCM: During start-up, heavy load on the bus terminal, or for PFC application, the non-ideal flyback converter may operate like a boost

converter without any current transferred to secondary output. This Mode is self explanatory from its waveforms in Figure 5-6(d).


5) *Boost CCM-CCM*: Under this Mode, the transformer primary winding operates like a typical CCM boost inductor. This Mode is also self explanatory from the waveforms in Figure 5-6(e).




(a) Flyback DCM+DCM




(b) Flyback CCM+DCM



(c) Flyback CCM+CCM



(d) Boost DCM+DCM



(e) Boost CCM+CCM

Figure 5-6 Primary and Secondary Current Waveforms in the Flyback and Boost Modes

5.4 Unified Model Equations

By careful inspection of the waveforms discussed in the previous section, it was determined that it was possible to merge all the operational Modes together under a unified model. The basic method for constructing this average model is to find the average voltage applied to each inductor, and the

average current through each terminal. The known parameters in the model include the inductors values, the terminal voltages, the duty cycle D_{on} , and the switching frequency. Based on these parameters, all the variables for the model will be derived in a general form in this section.

The unified model equations in this section represent a set of equations that can be solved numerically inside a simulator that provides this capability, such as PSPICE, or even general mathematical software like MathCAD.

A. The Average Inductors Voltage Equations

Based on the waveforms in Figure 5-6, the charging voltage for both the magnetizing and leakage inductances is simply a voltage division of the input voltage across L_m and L_k . However, unlike the charging voltage, the discharging voltage is different between the flyback and boost Modes. In order to identify the general relationship, we have to consider the voltage across D_I in Figure 5-3. D_I will stay on if:

$$nV_o < \frac{L_m}{L_m + L_k} (V_{bus} - V_{in}) \quad (5.3)$$

If this inequality is true then the model operates in the flyback Mode and hence L_m will discharge by nV_o , otherwise the model is operating in the boost Mode. Based on this observation, the following equations represent the unified discharge voltages for the inductors:

$$V_{lm} = \min \left(\frac{L_m}{L_m + L_k} (V_{bus} - V_{in}), nV_o \right) \quad (5.4)$$

$$V_{lk} = \max \left(\frac{L_k}{L_m + L_k} (V_{bus} - V_{in}), V_{bus} - V_{in} - nV_o \right) \quad (5.5)$$

Hence, the average voltage can be obtained by the following equations:

$$E_{Lm} = \frac{L_m V_{in} (D_{on} - D_{out})}{L_m + L_k} + V_{lm} \cdot (D_{off} + D_{out}) \quad (5.6)$$

$$E_{Lk} = \frac{L_k V_{in} (D_{on} - D_{out})}{L_m + L_k} + D_{out} (V_{in} + nV_o) + V_{lk} \cdot D_{leak} \quad (5.7)$$

Eqs. (5.6) and (5.7) are valid representations of the average voltage across the L_m and L_k in all Modes. While D_{out} is not present in some Modes its value is equal to zero and the equations are still valid.

B. Time Intervals and duty-ratios Calculation

In the above voltage equations D_{off} , D_{leak} , and D_{out} need to be identified and modeled in general equations that are valid for all the waveforms in Figure 5-6 and a function of the control input, D_{on} .

If the magnetizing current operates in CCM, D_{off} will be $1-D_{on}$. In DCM, the discharge time can be derived using the peak and average inductor

current values. The generalized equation can be described by the following equation,

$$D_{off} = \min \left(1 - D_{ON}, \frac{2\bar{I}_m(L_m + L_k)}{V_{in}D_{on}T_s} - D_{on} \right) \quad (5.8)$$

using the same methodology, the D_{leak} generalized equation is,

$$D_{leak} = \min \left(1 - D_{ON}, \frac{2\bar{I}_k - I_{m2}D_{on}}{I_{m1}} + D_{out} - D_{on} \right) \quad (5.9)$$

The current transition period occurs in the flyback CCM-DCM and CCM-CCM, can be calculated from as follows,

$$D_{out} = \frac{(I_{m2} - I_{k3})L_k}{(V_{in} + nV_o)T_s} \quad (5.10)$$

We can notice that D_{out} is equal to zero if $I_{m2}=I_{k3}$, and hence Eq. (5.10) is valid for all Modes in Figure 5-6.

C. Minimum and Maximum Currents values

The duty ratio equations described above require some peak and minimum inductor currents equations. The following equations were derived in a general form,

$$I_{m1} = \frac{\overline{I_{Lm}}}{D_{on} + D_{off}} + \frac{V_{in}(D_{on} - D_{out})T_s}{2(L_m + L_k)} \quad (5.11)$$

$$I_{m2} = \frac{\overline{I_{Lm}}}{D_{on} + D_{off}} - \frac{V_{in}(D_{on} - D_{out})T_s}{2(L_m + L_k)} \quad (5.12)$$

$$I_{k3} = \frac{2\overline{I_{Lk}} - I_{m2}D_{on} - I_{m1}(D_{on} - D_{out} + D_{leak})}{D_{leak} + D_{out}} \quad (5.13)$$

D. Average Current Equations

To finalize the generalized model equations, the average input and output current quantities can be derived from the inductors average currents as follows,

$$\overline{I_{in}} = \overline{I_{Lk}} \quad (5.14)$$


$$\overline{I_o} = n(\overline{I_{Lm}} - \overline{I_{Lk}}) \quad (5.15)$$

Finally, the average bus current can be derived from the leakage inductor current waveform as:


$$\overline{I_{bus}} = \frac{(I_{m1} + I_{k3})D_{leak}}{2} \quad (5.16)$$

E. Average Model Implementation

The derived equations (5.4) to (5.16) can be directly implemented using the ABM function blocks in PSPICE, as shown in Figure 5-7(a). This circuit can be masked under a simple subcircuit block as shown in Figure 5-7(b) that can be used to model many topologies as will be demonstrated in the upcoming sections.



(a) Average Model Equations



(b) Sub-circuit Block Model
 Figure 5-7 Average Model implementation in Pspice

5.5 Average Modeling Applied to the Bi-Flyback Converter

The Bi-flyback single-stage PFC converter consists of two flyback transformers, as shown in Figure 5-2. In this topology, the input flyback transformer, T_1 , has a special boost operation period depending on the instantaneous value of the input line voltage as shown in Figure 5-8. In the flyback Mode, the two circuits operate independently while in the boost Mode all the current from the PFC cell flows through the primary winding of the DC-DC cell transformer and then to the output.






Figure 5-8 Operational Modes of the Bi-flyback Converter during One Line Period

After a careful study of the Bi-flyback converter operation, the STM was used to model the PFC cell because of the important role of the leakage inductance during the transition between the flyback and the boost Modes. The DC-DC cell was modeled using a DC-transformer model. This way, the operation of the two flyback circuits is separated, and the average model of the Bi-flyback converter can be developed easily from the basic models. The final average model is shown in Figure 5-9(b), where an ideal transformer, T_1 , is used to connect the two cells in a manner that mimics the actual circuit operation.



(a) Switching Model




(b) Average Model


Figure 5-9 The Bi-flyback PFC Converter Switching and Average Simulation Models

A. Time-Domain Operation


Both the switching and average models of Bi-flyback PFC converter were used to perform a time domain analysis and the simulation results were compared. The average model simulation discards the high frequency effects during the individual switching cycles, allowing fast simulation for the model. As a result, the simulation for several line cycles is possible within a short amount of time. For comparison purposes, the Avgx function was used to obtain the average waveforms from switching model. From the simulation results in Figure 5-10, it is clear that the switching and the average models correspond very well to each other. In addition, the switching simulation took additional simulation time and many convergence problems in PSPICE needed to be addressed due to switching nature. This can highlight the benefits of the proposed average model as a viable simulation tool.



(a) Switching Model Simulation Results



(b) Switching Model Simulation Results (Averaged)



(c) Average Model Simulation Results

Figure 5-10 The Bi-flyback PFC Converter Simulation Results

B. AC operation

The model of Figure 5-9(b) was used in the AC analysis except the sinusoidal input voltage source was replaced by a DC voltage source to represent the instantaneous input voltage at a specified simulation time. The simulation model was also adjusted to match the experimental circuit in the following section (output capacitor value, leakage and magnetizing inductance, and output load). The frequency response was simulated at different input voltages (90V to 170V with 10V increments). The control to output transfer function is shown in Figure 5-11. As shown in the results, the gain of the transfer function was changed at different intervals during one line cycle. The maximum gain happens when the input voltage reaches its peak value. The variation as a function of input will be considered during compensator design.




Figure 5-11 Control to Output (V_o/d) Frequency Response Simulation Results Bi-Flyback by Average Model

5.6 Experimental Results

To verify the modeling results, a prototype of the biflyback converter in Figure 5-10 was tested and its frequency response was measured using Venable frequency analyzer. For completeness, Table 5-1 outlines the converter specifications, efficiency, and the PF. The experimental results in Figure 5-12 represent the control to output voltage transfer function (V_o/d). There is great agreement in the shape between the experimental and simulation results in Figure 5-11.

Table 5-1 Converter Specification and Performance

<i>Input Voltage</i>	<i>Universal (85-265V_{ac,rms})</i>
<i>Output voltage</i>	<i>20V</i>
<i>Output Power</i>	<i>90 W</i>
<i>Switching Frequency</i>	<i>100kHz</i>
<i>Measured Efficiency</i>	<i>83% @ 90W and 110V_{ac,rms} input</i>
<i>Measured PF</i>	<i>97.5% @ 90W and 110V_{ac,rms} input</i>

To illustrate the measurement procedure, Figure 5-13 outlines the measurement setup. The frequency analyzer oscillator (OSC) was connected directly to the DSP Analog to Digital Converter (ADC), and an appropriate DC level from the OSC output was used to setup the needed DC operating point. The DSP was configured to convert the ADC reading linearly to a corresponding duty cycle on the DSP PWM output that was connected to driver and then directly to the main switch. The converter DC operating point was perturbed by the analyzer OSC and the output voltage was modulated accordingly. Before the final measurements were done, the DSP frequency response was measured and the final measurements were adjusted to compensate for the DSP gain. It is to be noted that the results in Figure 5-12 are obtained using an open loop frequency measurement to eliminate any potential mismatch in the compensation network that might result from using the DSP. During the experiment, parasitic elements and noise in the

developed prototype caused many difficulties in measuring the response at rated power. Hence, the load was changed from 5 to 10 ohms in order to attain presentable results. The graph in Figure 5-12 consists mainly of a first order pole and a left half-plane zero. In addition, a high frequency delay is present, due to unknown parasitics and sampling effects. It was also noticed that the pole position depends on the load and the output capacitance, while the zero depends on the output capacitance and ESR value.




Figure 5-12 Experimental Control to Output Voltage (V_o/d) Frequency Response measured for the Bi-flyback PFC converter




Figure 5-13 Frequency Response Measurement Setup

5.7 Summary

In this chapter, a five-terminal switched inductor model was proposed and its generalized equations were derived. The proposed model is capable of modeling the single-stage PFC converters with more accuracy since it includes more terminals to accommodate its complex structure. In addition, the model also takes in consideration the leakage inductance of the transformer for more accurate time and frequency domain analysis. The proposed model was applied to the Bi-flyback converter and its time domain waveforms match the switched simulation results with great accuracy and were more than fifty times faster to create. Small-signal analysis forms the basis for effective control loop design; the proposed model enables easy frequency response analysis for the single-stage PFC converters, an area that has been overlooked in the past. The developed frequency response analyses show good agreement with the experimental results. The mechanism

presented in this chapter enables rapid simulation, supports AC small signal analysis directly, and most importantly, produces a comprehensive investigation of a converter topology that cannot be modeled by existing approaches.

CHAPTER 6 ANALYSIS, DESIGN, AND OPTIMIZATION OF THE CENTER-TAPPED FLYBACK CONVERTER


6.1 Introduction

This chapter presents a new topology to be analyzed based on direct energy transfer concept. The bi-flyback converter was able to deliver energy directly to the output during the flyback Mode and the boost Mode, but at the same time input power factor will degrade when more energy is delivered to the output directly. Also the converter was not able to deliver maximum power evenly during universal line input voltage, which will result in less than optimal efficiency results. This chapter focuses on another topology that can alleviate these issue and promises good results for universal line input voltage applications.


6.2 Principle of Operation

In this section, the principle of operation of the center-tapped flyback converter will be examined. As shown in Figure 6-1, the converter consists of a BIFRED flyback converter that was modified by adding an additional winding to the main transformer in series with the main switch. This modification will serve many purposes. First, it will allow the input inductor changing current to be stored in the additional winding and then to be transferred directly to the output. Second, by changing the turns ratio, $n_1:n_2$,

the current can be steered away from the main switching to the other branch of the flyback inductor, this will reduce the current stress and improve the converter efficiency. In addition, the added winding will introduce a bus voltage feedback mechanism that will automatically limit the voltage on the bus capacitor, C_s . On the other hand, the new circuit has added complexity due the introduced winding. This new design dimension has to be analyzed and a proper design procedure has to be developed to maximize the utilization of the new topology.



(a) Derivation and Concept Illustration



(b) Rearranged for Clarity
 Figure 6-1 The Center-Tapped Flyback Topology

The input line voltage dictates the operation of the topology and whether the input inductor will be engaged in the operation or not. This mechanism can be understood by considering the voltage across the input diode D_{in} when the main switch S turns on. If the voltage across the diode is greater than zero, the diode will conduct and the boost inductor will charge through the tapped flyback transformer to the magnetizing inductor, and then discharges to the output directly. Otherwise, the diode will block the current flow and the converter will simply operate like a typical flyback converter supplying all the output power from the stored energy in the bus capacitor. The Mode the input inductor is not engaged will be called *Mode 1*, because it happens first during the line cycle. Later on the input inductor will be utilized during *Mode 2*. The conditions that govern this operation are given as,

$$|v_{in}(t)| < (n_1/N_p)V_{CS} \quad (\text{Mode 1}) \quad (6.1)$$

$$|v_{in}(t)| > (n_1/N_p)V_{CS} \quad (\text{Mode 2}) \quad (6.2)$$

Considering the converter operation during a line cycle, the converter will change the Mode of operation according to equations (6.1) and (6.2), this is further illustrated in Figure 6-2. Due to the nature of the operation, the conduction angle of the converter is limited unlike the bi-flyback converter described in previous chapters. This can impact the power factor of the converter if not properly designed. The boundary Mode condition happens at t_x , which can be given by,

$$t_x = \frac{1}{\omega} \arcsin\left(\frac{n_1}{N_p} \frac{V_{CS}}{V_p}\right) \quad (6.3)$$





Figure 6-2 Modes of Operation during a Line Cycle

In the following subsections the converter operation will be analyzed based on its Modes of operation. The following assumptions will be considered during the analysis,


- L_{in} is assumed to be operating in DCM to achieve automatic PFC
- L_m is assumed to be operating in CCM to reduce the peak current in the DC-DC converter
- Ideal components without parasitic parameters such as leakage inductance of the transformer, on resistance of the switching devices, etc.
- The input voltage will be considered constant during a switching cycle
- Constant output voltage through tight regulation

6.2.1 Mode 1 Operation

During Mode 1, the input diode, D_{in} , will be off and the converter will operate like a typical flyback converter charging the magnetizing inductance of the transformer, L_m , from the bus capacitor and then discharging its energy to the output. The DC-DC converter will deliver the needed power from the storage capacitor to the output to keep tight output regulation. During this Mode, there are two time intervals that characterize the converter operation, as shown in Figure 6-3. The associated waveforms for these intervals are shown in Figure 6-4.



(a) Interval 1 (t_0-t_1)



(b) Interval 2 (t_1-T_s)

Figure 6-3 Equivalent Circuits for the Three Intervals during Mode 1




Figure 6-4 Key Waveforms during Mode 1 Operation

Interval 1 (t_0 - t_1):

The switch is turned on at t_0 . The magnetizing inductor current, i_{Lm} , is charging linearly from the bus voltage, while the same current flows through primary windings. The following expressions are obtained for the main waveforms,

$$i_{Lm}(t) = \frac{V_{CS}}{L_m}(t - t_o) + i_{Lm}(T_s) \quad (6.4)$$

$$i_{p1} = i_{Lin} = i_{p2} = i_D = 0 \quad (6.5)$$

Interval 2 (t_1 - T_s):

The switch turns off at t_1 causing the magnetizing inductor current, i_{Lm} , to discharge though the primary winding to the output through D . The following expressions are obtained for the main waveforms during this interval,

$$i_{Lm}(t) = \frac{-N_p V_o}{L_m}(t - t_1) + i_{Lm}(t_1) \quad (6.6)$$

$$i_{p2}(t) = i_{Lm}(t) = -i_{p1}(t) \quad (6.7)$$

$$i_{Lm2}(t) = i_{p2} = \frac{-n_2 V_o}{L_{m2}}(t - t_1) + i_{Lm2}(t_1) \quad (6.8)$$


$$i_D(t) = N_p i_{Lm}(t) \quad (6.9)$$

where $N_p = n_1 + n_2$.


6.2.2 Mode 2 Operation

When $t > t_x$, D_{in} starts to conduct when the switch turns on and the converter enters operation Mode 2. The main difference between the two Modes is the engagement of the input boost inductor in the operation. During


this Mode, the bus capacitor energy should be recovered to maintain steady state operation. In addition, the input power will be directly transferred to the output in this Mode. The amount of the direct energy transferred to the output will ramp up with the input voltage and then be capped at the output power level.



(a) Interval 1 (t_0 - t_1)



(b) Interval 2 (t_1-t_2)



(a) Interval 3 (t_2-T_s)

Figure 6-5 Equivalent Circuits for the Three Intervals during Mode 2




Figure 6-6 Key Waveforms during Mode 2 Operation

Interval 1 (t_0 - t_1):

The switch is turned on at t_0 . The magnetizing inductor current, i_{Lm} , is charging linearly from the bus capacitor voltage as in interval 1 in Mode 1. However, i_{Lin} is also charging from the input rectified voltage in Mode 2. The input current will be divided between the primary windings according to their turns-ratio. The input current will offset the charging current from the bus capacitor. Further, at higher input voltages the input current will also charge the bus capacitor. The equations that describe the main current waveforms are similar to the interval 1 equations in Mode 1.

$$i_{Lm}(t) = \frac{V_{CS}}{L_m}(t - t_o) + i_{Lm}(T_s) \quad (6.10)$$

$$i_{Lin}(t) = \frac{V_g - \frac{n_1}{N_p} V_{Cs}}{L_{in}}(t - t_o) \quad (6.11)$$

$$i_{p1}(t) = \frac{i_{Lin}(t) n_1}{N_p} \quad (6.12)$$

$$i_{p2}(t) = \frac{i_{Lin}(t) n_2}{N_p} \quad (6.13)$$

$$i_{Cs}(t) = i_{Lm}(t) - i_{p2}(t) \quad (6.14)$$

where V_g is the instantaneous input voltage, which is assumed to be constant during the switching interval.

Interval 2 (t_1 - t_2):

The switch turns off at t_1 . Unlike in Mode 1, the input current is already charged through the input diode, D_{in} . This will force the boost inductor current, i_{Lin} , to discharge through the second primary winding, n_2 . At the same time, this current will be reflected directly to the output without having to be processed through the main switch. The input inductor discharging current will also flow to charge the bus capacitor. The magnetizing inductor current will discharge from the reflected output voltage. This interval ends when the input inductor current discharges to zero. The following expressions are obtained for the main waveforms during this interval,

$$i_{Lm}(t) = \frac{-V_o N_p}{L_m}(t - t_1) + i_{Lm}(D T_s) \quad (6.15)$$

$$i_{Lin}(t) = \frac{V_g - V_{Cs} - n_2 V_o}{L_{in}}(t - t_1) + i_{Lin}(D T_s) \quad (6.16)$$

$$i_{p1}(t) = -i_{Lm}(t) \quad (6.17)$$

$$i_{p2}(t) = i_{Lm}(t) + i_{Lin}(t) \quad (6.18)$$

$$i_{D2}(t) = i_o(t) = n_2 i_{p2}(t) \quad (6.19)$$

$$i_{Cs}(t) = i_{Lin}(t) \quad (6.20)$$

Interval 3 ($t_2 - T_s$):

The operation of the converter in interval 3 is similar to interval 2 of the Mode 1 operation.

6.3 Steady State Analysis

This section will address the steady state operation of the center-tapped flyback converter over the input line cycle. While the analysis in the previous section shed some light on the converter operation in steady state, this analysis was based on the switching interval. Since the converter will be operating from a varying input voltage, the analysis will be expanded here to uncover the important relations and equations that govern the converter operation during the line cycle. For example, one of the most important parameters for the circuit design is the bus voltage across the storage

capacitor, C_s . In order to derive the V_{C_s} equation, the energy balance equation should be derived across the line cycle.

During the following analysis, the following assumptions will be made:

- Ideal components, without parasitic parameters such as leakage inductance of the transformer, on resistance of the switching devices, etc.
- The input voltage will be considered constant during a switching cycle
- The switching frequency is much higher than the line frequency
- The DC bus voltage is constant during the entire line cycle.
- Constant output voltage through tight regulation
- Due to the symmetry of the power waveforms, the energy calculations will be performed on quarter line cycle for simplification

6.3.1 Duty Cycle

When operating in CCM, the duty cycle of the switch will remain constant during a line cycle, when tight output regulation and constant bus voltage is assumed. The duty cycle equation is given by,

$$D = \frac{N_P V_o}{V_{C_s} + N_P V_o} \quad (6.21)$$

6.3.2 Intermediate Bus Voltage

In steady state, the energy discharged from the capacitor during a line cycle in Mode 1 should equal the energy that was used to charge the capacitor in the Mode 2, the expression for capacitor charge balance is,

$$W_{Cs_discharge}^{M1} = W_{Cs_charge}^{M2} \quad (6.22)$$

During Mode 1, it is easy to calculate the energy supplied by the storage capacitor by considering the average charging current in the magnetizing inductor. The energy discharged from the bus capacitor can be calculated by integrating the average power during a switching cycle over the time of Mode 1.

$$W_{Cs_discharge}^{M1} = \frac{V_{Cs} I_o D}{N_p (1-D)} \int_0^{t_x} dt \quad (6.23)$$

In Mode 2, the charging energy to the storage capacitor can be calculated based on the average capacitor current according to the Mode 2 analysis as follows,

$$W_{Cs_charge}^{M2} = V_{Cs} \int_{t_x}^{T/4} \left(i_{Lin_avg_charge} \frac{n_1}{N_p} + i_{Lin_avg_discharge} - i_{Lm_avg_charge} \right) dt \quad (6.24)$$

based on Eqs. (6.23) and (6.24), Eq. (6.22) can be rewritten as,

$$V_{Cs} \int_0^{t_x} \frac{I_o D}{N_p (1-D)} dt = V_{Cs} \int_{t_x}^{\frac{T}{4}} \left[\frac{D^2 T_s}{2 L_{in}} \left(V_p \sin(\omega t) - \frac{n_1}{N_p} V_{Cs} \right) \frac{n_1}{N_p} \dots \right. \\ \left. + \frac{D^2 T_s}{2 L_{in}} \frac{\left(V_p \sin(\omega t) - \frac{n_1}{N_p} V_{Cs} \right)^2}{V_{Cs} + n_2 V_o - V_p \sin(\omega t)} \left[1 + \frac{n_2 D}{N_p (1-D)} \right] \dots \right. \\ \left. + \frac{-I_o D}{N_p (1-D)} \right] dt \quad (6.25)$$

6.3.3 DCM Condition for the Input boost inductor

In order to achieve high power factor, the PFC inductor, L_{in} , should operate in DCM during the entire line cycle. The worst case scenario happens when the input voltage is at its peak value, or at $t=T/4$ as shown in Figure 6-7. At the time the current in the boost inductor is the highest, the inductor is guaranteed to stay in DCM if the DCM condition was satisfied at that time. The main condition for DCM operation during that switching cycle is,

$$t_2 - t_1 \leq (1-D)T_s \quad (6.26)$$




Figure 6-7 Average Input Current during Line Cycle

At $t=T/4$, the converter will be operating in the Mode 2. By applying the equations for that interval, Figure 6-6, and substituting $v_{in}=V_p$, Eq. (6.26) can be rewritten as,

$$\frac{V_p - \frac{n_1}{N_p} V_{Cs}}{V_{Cs} + n_2 V_o - V_p} \leq \frac{1-D}{D} \quad (6.27)$$

6.3.4 CCM Condition for the DC-DC Cell

According to Mode 2 operation, the minimum load on the DC-DC converter will happen at $t=T/4$, when the input inductor providing the maximum direct output current as shown in Figure 6-8. In order to guarantee CCM for the DC-DC cell, it should be operating in CCM at that time instant. The necessary CCM condition can be found from Figure 6-6 as,

$$I_{Lm_avg}(T_s/4) \geq \frac{DI_{Lm}}{2} \quad (6.28)$$




Figure 6-8 Average Flyback Magnetizing Current during Line Cycle

Expanding Eq. (6.28) in terms of the circuit parameters will yield the following equation for the critical inductance,

$$L_{m_crit} = \frac{I_o - n_2 \left[\frac{D^2 T_s \left(V_p - \frac{n_1}{N_p} V_{Cs} \right)^2}{2 L_{in} V_{Cs} + n_2 V_o - V_p} \right]}{(1 - D) N_p} \quad (6.29)$$

6.4 Design Equations and Methodology

The main design parameters for the single-stage, center-tapped flyback circuit are: n_1 , n_2 , L_{in} , and L_m . From the previous sections, the main equations that can be used in the design are Eqs. (6.3), (6.21), (6.25), (6.27), and (6.29), for the transition time, t_x , duty ratio, D , bus voltage, V_{Cs} , and the critical inductance for L_{in} and L_m respectively. In order to properly design the converter, the interaction and dependency between these variables will lead to a multi-dimensional design process that needs further investigation to highlight the trade-offs.

6.4.1 Main Equations and Design Curves

Unlike the bi-flyback topology in CHAPTER 4, the center-tapped flyback topology does not suffer from the potential problem of delivering high peak power to the output. In this topology, there is no separate direct energy transfer path from the input to the output, and all power has to be processed through the coupled flyback inductor. As such, there is direct feedback for any excess energy through the voltage of the bus capacitor. This will limit the direct energy transferred naturally, and there is no need for design mitigation.

In order to understand the design trade-offs, the following analysis will be carried out to create a comprehensive set of design curves for the converter under different conditions. A numerical solve block will be created to solve for V_{Cs} , D , t_x , and L_{in} for a given value of N_p and N , where N is the ratio between n_2 and n_1 , as shown in Figure 6-9.

Given

$$V_{Cs} \cdot \int_{t_x}^{\frac{T}{4}} \frac{D^2 \cdot T_s}{2 \cdot L_{in}} \left(V_p \cdot \sin(\omega t) - \frac{n_1}{N_p} \cdot V_{Cs} \right) \cdot \frac{n_1}{N_p} + \frac{D^2 \cdot T_s}{2 \cdot L_{in}} \frac{\left(V_p \cdot \sin(\omega t) - \frac{n_1}{N_p} \cdot V_{Cs} \right)^2}{V_{Cs} + n_2 \cdot V_o - V_p \cdot \sin(\omega t)} \left[1 + \frac{n_2 \cdot D}{N_p \cdot (1 - D)} \right] - \frac{I_o \cdot D}{N_p \cdot (1 - D)} dt = V_{Cs} \cdot \int_0^{t_x} \frac{I_o \cdot D}{N_p \cdot (1 - D)} dt$$

$$M = \frac{V_{Cs}}{N_p \cdot V_o}$$

$$D = \frac{1}{M + 1}$$

$$t_x = \frac{1}{\omega} \cdot \text{asin} \left(\frac{n_1}{N_p} \cdot \frac{V_{Cs}}{V_p} \right)$$

$$N = \frac{n_2}{n_1}$$

$$N_p = n_1 + n_2$$

$$1 \cdot \frac{V_p - \frac{n_1}{N_p} \cdot V_{Cs}}{V_{Cs} + n_2 \cdot V_o - V_p} = \frac{1 - D}{D}$$

`SB(Np, N) := Find(VCs, M, D, tx, n1, n2, Lin)`

Figure 6-9 MathCAD Solve Block

The solve block was used to generalize a set of design curves for the following circuit parameters: $V_{in,rms}=110V$, $F=60Hz$, $V_o=20V$, $P_o=70W$, $F_s=100kHz$. The variations include different primary to secondary turns ratio, N_p , and different primary winding turns ratio, N . Increasing N will result in more current redirected to the second primary winding, which will result in less current passing through the switch and more direct energy to the output. The solve block will select the critical inductance for L_{in} . This will be further developed later on in this section since it reflects a maximum value. According to the results, the storage capacitor voltage is always constant and equal to the peak input voltage, 155.54V in this case. The bus

voltage will start to slightly increase when the input inductance starts decreasing.

In the following discussion, the various design curves and trade-offs will be discussed. Primarily related to THD, PFC, direct energy transfer, size, MOSFET losses, and devices stress.

A. Total Harmonic distortion and Power Factor

One of the most important design trade-offs is the THD and PF values. The input current equation can be found from the steady -state analysis, then the THD and PF values can be obtained using Fourier analysis as outlined in the following Eqs. (6.30) to (6.36),

$$I_{rms} = \sqrt{\frac{1}{T} \int_0^T i_{in}(t)^2 dt} \quad (6.30)$$

$$a_I = \frac{2}{T} \int_0^T i_{in}(t) \cos(w t) dt \quad (6.31)$$

$$b_I = \frac{2}{T} \int_0^T i_{in}(t) \sin(w t) dt \quad (6.32)$$

$$C_I = \sqrt{a_I^2 + b_I^2} \quad (6.33)$$

$$I_{rmsI} = \frac{C_I}{\sqrt{2}} \quad (6.34)$$

$$THD_i = \sqrt{\left(\frac{I_{rms}}{I_{rmsI}}\right)^2 - 1} \quad (6.35)$$

$$PF = \frac{I_{rmsI}}{I_{rms}} \quad (6.36)$$

In order to meet the regulatory requirement, such as IEC 100-3-2 Class D, 45% THD and 0.9 PF are usually required. For this purpose, the THD and the PF curves were plotted in Figure 6-10 and Figure 6-11 respectively. As expected, the input current distortion decreases when N_p or n increases. This is due to the boundary mode condition in (6.1). As the threshold voltage gets lower, the conduction angle will increase, which will increase PFC and reduce THD. It can be concluded from the graphs that N_p of 2 and n of 3 or higher will be needed to satisfy the THD and PFC conditions.




Figure 6-10 THD versus N_p for Different N Values




Figure 6-11 PF versus N_p for Different n Values

B. Direct Energy Transfer

The direct energy transfer from the input to the output is one of the primary features of this converter. To quantify the amount of direct energy or power transferred to the output, the power delivered by the bus capacitor can be calculated in both Modes 1 and 2. Then, the total direct power transferred to the output can be found by subtracting output power from the power delivered from the bus, Eq. (6.37), the results are shown in Figure 6-12.

$$P_{in_Direct}(t) = P_o - P_{Cs_Direct}(t) \tag{6.37}$$




Figure 6-12 Direct Energy Transferred to the Output over Half Line Cycle

By integrating the direct input power transferred to the output over a half line cycle, the graph in Figure 6-13 shows how the direct power transferred varies with turn ratios. Unlike the bi-flyback topology, improving the PF and THD coincides with increasing the direct power. According to Figure 6-13, the direct power transfer can reach 60% compared to 50% in the bi-flyback topology. There are some practical limitations on this number as will be shown in the following sections.




Figure 6-13 Direct Energy Transferred to the Output versus N_p for Different n Values

C. Main Switch RMS Current

While it is desirable maximize the average power transferred directly to the output, the main drive for this topology is to reduce the losses and current stress on the switch. For this reason, the average RMS switch current during a switching cycle was derived and averaged over a line cycle. From there the conduction power results are plotted in Figure 6-14. By observation, it is desirable to increase turns ratios to reduce the switch conduction losses, but actually the relation is not linear. Increasing the primary turns ratio from 1 to 4 will have a significant impact, but any further increase will have the opposite effect. Increasing n beyond 2 to 3 will have almost no difference in switch conduction losses.




Figure 6-14 Main Switch Conduction Losses versus N_p for Different n Values

D. Magnetic Component Size

An important part of the design is to study the trade-offs in component sizing. In order to understand how the transformers and the input inductor size will be affected by the selection of N_p and n values, these relationships were plotted in Figure 6-15-Figure 6-17, for L_{in} , and L_m respectively. In the figures we can see that enhancing the THD, PF and improving direct power transfer and switch losses will come with the ultimate price of increasing the size of the magnetic components, especially L_m where size rises sharply after increasing the turns-ratio above a certain level.




Figure 6-15 L_{in} Energy versus N_p for Different n Values




Figure 6-16 L_m Energy versus N_p for Different n Values




Figure 6-17 Zoomed-in from Figure 6-16

6.4.2 Stress Equations

Stress equations are important for the sizing of the semiconductor components. The peak values I_{Lm_max} and I_{Lin_pk} will be used for this purpose,

$$I_{Lin_pk_M2}(t) = \frac{v_{in}(t) - \frac{n_1}{N_p} V_{Cs}}{L_{in}} D T_s \quad (6.38)$$

$$I_{Lm_max_M2}(t) = I_{Lm_ave_M2}(t) + \frac{V_{Cs} D T_s}{2 L_m} \quad (6.39)$$

The MOSFET has to handle the maximum current in both magnetizing inductors summed together in addition to maximum input current reflected to the first primary winding.

$$I_{SW_pk}(t) = \begin{cases} I_{Lm_max_M2}(t) + \frac{I_{Lin_pk_M2}(t) n_2}{N_p} & \text{if } t_x < t < \frac{T}{2} - t_x \\ I_{Lm_max_M1} & \text{otherwise} \end{cases} \quad (6.40)$$

The equation for the peak switch current is time varying during the line cycle, and the absolute maximum occurs at a different time instance depending on the design values as illustrated in Figure 6-18.




Figure 6-18 Maximum Switch Current during a Line Cycle

The output diode has to withstand an even higher peak current because of its location (on the low voltage side of the circuit).

$$I_{D_pk}(t) = \begin{cases} (I_{Lin_pk_M2}(t) + I_{Lm_max_M2}(t)) n_2 + I_{Lm_max_M2}(t) n_1 & \text{if } t_x < t < \frac{T}{2} \\ I_{Lm_max_M1} N_p & \text{otherwise} \end{cases} \quad (6.41)$$

The voltage stress on the diodes and the switch are given by the following equations,

$$V_{S_Max} = N_p V_o + V_{Cs} \quad (6.42)$$

$$V_{D_Max} = V_o + \frac{V_{Cs}}{N_p} \quad (6.43)$$

The MOSFET and diode stress equations can highlight the trade-offs between different designs. For that purpose, Figure 6-19 - Figure 6-21 was plotted to quantify the differences. Figure 6-19 shows how the voltage stress on the MOSFET increases with the primary turns-ratio N_p , while the diode voltage stress decreases. While this graph was generated for a 110Vrms input, it should be noted the maximum stress will happen at 220Vrms in universal line applications. Voltage stress can reflect on the semiconductor device selection. Lower voltage devices tend to have better efficiency. This is especially significant when a schottky diode can be used at the output side.




Figure 6-19 MOSFET and Diode Voltage Stress versus N_p

The peak current stress on the MOSFET is shown in Figure 6-20. While the voltage on the MOSFET will increase with primary turns ratio, the peak current will decrease. This will raise the question about switching losses where both the peak current and voltage will play a significant role. For that purpose, Figure 6-21 was plotted to evaluate the switching losses. It is clear that despite the increasing voltage stress, the overall losses will decrease while the primary turns-ratio is increased.




Figure 6-20 MOSFET Peak Current Stress versus N_p for Different n Values




Figure 6-21 MOSFET Estimated Switching Losses versus N_p for Different n Values

6.4.3 Design Example

Table 6-1 highlights the main specifications for the design example, which are typical for notebook power supply.

Table 6-1: Center-tapped flyback Converter Design Specifications

Input Voltage	Universal (85-265V _{ac,rms})
Output voltage	20V
Output Power	70 W
Switching Frequency	100kHz
Measured PF	IEC 100-3-2 Class D

The curves in Figure 6-10 - Figure 6-17, can be used as the first step in a trade-off study for this design. Starting from Figure 6-10 and Figure 6-11, we can see that we need $N_p > 2$ to meet $PF > 90\%$ and $THD < 0.45$. For the case of $N_p = 2$, the converter should utilize $n > 3$, or $n > 2$ for any other higher N_p value, to comply with PF and THD requirements. Proceeding to Figure 6-13, we can get an idea about how the direct power transfer varies with the selection. For the options mentioned above, the direct power transferred to the output can vary from 50% to 60%. Now, proceeding to Figure 6-14 we can see that the optimum point for conduction losses is at $N_p=4$, but these results were further expanded in Figure 6-21 to include switching losses. These losses tend to be more dominant in low power high voltage applications. Thus far, all the curves indicate a performance enhancement with increasing turns ratio, however size reduction will dominate and limits how far the turns ratio can be increased. According to Figure 6-15 to Figure 6-17, the size of the magnetic components will increase significantly with increasing turns ratio. This will practically eliminate any design choice with N_p above 4. As can be established from the curves, the improvement will start to be very limited above $N_p=4$, while the size penalty is increasing significantly. Another observation is a limited increase in size at lower N_p values when n is increased. As a result, the design will be recommended for $N_p=2$ and $n=4$ or $N_p=3$ and $n=3$. The results of the analysis for the two design choices are shown below.

Table 6-2: Summary of Design Results

	Design 1 ($N_p=2$, $n=4$, $L_{in}=75\mu H$, $L_m=150\mu H$)	Design 2 ($N_p=3$, $n=3$, $L_{in}=100\mu H$, $L_m=340\mu H$)
V _{cs}	346V	360V
% P _{Direct}	54.4%	55%
THD, PF	40.3, 92.7%	38, 93.5%
I _{SW_PK}	5.5A	3.9A
I _{D_PK}	10.54A	11.8A
V _{SW_Max}	386V	419V
V _{D_Max}	193V	140V
L _{in} energy ($\mu H \cdot A^2$)	844	1017
L _m energy ($\mu H \cdot A^2$)	4170	5239

6.5 Simulation Results

The closed-loop PSPICE simulation of the proposed converter, Figure 6-22, has been carried out over one line cycle and the simulation results are shown in Figure 6-23 to Figure 6-26. It is clear from simulation waveforms that the theoretical and simulation waveforms correspond to each other in both the Mode 1 and the Mode 2. The input current waveform in Figure 6-26 promises high power factor and match the predicted shape.




Figure 6-22 Circuit Schematics of the Simulated Center-tapped Flyback Converter




Figure 6-23 Simulation Waveforms during Mode 1 Operation




Figure 6-24 Simulation Waveforms during Mode 2 Operation




Figure 6-25 Simulation Waveforms during Line Cycle




Figure 6-26 Simulation Result for the filtered Input Current Waveform

6.6 Experimental Results

To verify the topology operation a universal input single-stage PFC converter prototype based on the design example and simulation results was built and tested.

The main design specifications are:

- Input: $85\sim 265V_{AC,RMS}$
- Output: 21VDC @ 75W
- Switching frequency: 100kHz
- Input inductance $L_{in} = 72\mu H$
- Primary inductance $L_m = 170\mu H$, turn ratio $N_p = 1.9$, $n=3.5$

The main components include:

- MOSFET: FCP20N60 (600V, 20A)
- Secondary diode D: SBR 10U300CT (300V, 10A)
- Storage capacitor C_s : 120 μF / 450V
- Controller IC: UC3844

The measurement tables (Table 6-4 and Table 6-5) represent the recorded values and Figure 6-27 to Figure 6-31 are plots of some important curves that was obtained from these tables. Figure 6-27 shows the efficiency curve for the converter when operating from 110Vrms input at different power levels. The peak recorded efficiency was around 87%, which is a

considerable improvement over the bi-flyback converter in chapter 4. Figure 6-29 shows the variation in the bus voltage at 110Vrms input and different load conditions. Figure 6-28 shows the efficiency recorded at different input voltages and at rated output power. Figure 6-30 shows the bus voltage when the input voltage was changes, and it could be noted that the voltage did not increase beyond 400V. Figure 6-31 shows the PF recorded for different input voltages. The recorded PF will comply with the regulatory requirements and ensure low harmonic contents. The input current waveform is shown in Figure 6-32 and Figure 6-33 at 110Vrms input and rated output power and they correlate with the simulation results in Figure 6-26.

Table 6-3: Experimental Testing Data at 110Vrms

Vin(RMS)	Vbus (V)	Vout(V)	Io(A)	Pin(W)	Po(W)	η (%)
110	175	21.6	0.56	14.9	12	81.18
110	175	21.59	1.27	32.2	27	85.15
110	175	21.56	1.65	41.4	36	85.93
110	165	21.49	2.12	52.8	46	86.29
110	160	21.5	2.42	60	52	86.72
110	151	21.43	3.08	76.1	66	86.73
110	150	21.37	3.55	88	76	86.21

Table 6-4: Experimental Testing Data at 110Vrms

Vin(RMS)	Vbus (V)	Vout(V)	Io(A)	Pin(W)	Po(W)	η (%)
220	382	21.6	0.98	26.8	21	78.99
220	383	21.58	1.53	40.7	33	81.12
220	382	21.56	1.95	51	42	82.44
220	379	21.52	2.41	62.6	52	82.85
220	360	21.48	3.06	78.7	66	83.52
220	350	21.47	3.54	90.7	76	83.80

Table 6-5: Experimental Testing Data between 85-265Vrms

Vin(RMS)	Vbus(V)	PF	Vout(V)	Io(A)	Pin(W)	Po(W)	η (%)
85	116	92.9	21.44	2.69	67.4	57.6736	85.56914
110	150	93.2	21.37	3.55	88	75.8635	86.20852
160	254	92.8	21.44	3.55	89.1	76.112	85.42312
200	315	92.2	21.47	3.06	78.65	65.6982	83.53236
220	350	91.8	21.47	3.54	90.7	76.0038	83.79691
240	384	91.2	21.46	3.54	91.2	75.9684	83.29868
265	370	78.3	21.51	3.54	97.2	76.1454	78.33889




Figure 6-27 Measured Efficiency versus Output Power for 110Vrms and 220Vrms Input Voltages




Figure 6-28 Measured Efficiency when the Input Voltage Varies between 85-265Vrms at Rated Output Power




Figure 6-29 Measured Bus Voltage versus Output Power for 110Vrms and 220Vrms Input Voltages




Figure 6-30 Measured Bus Voltage when the Input Voltage Varies between 85-265Vrms at Rated Output Power




Figure 6-31 Measured Power Factor when the Input Voltage Varies between 85-265Vrms at Rated Output Power




Figure 6-32 Input Current Waveform at 110Vrms under Full Load




Figure 6-33 Input Current Waveform at 220Vrms under Full Load

6.7 Summary

In this Chapter, the proposed center-tapped flyback converter was analyzed and the design equations were derived. The proposed converter is capable of transferring more than 60% of the input power directly to the output while keeping tight output regulation, compared to only 50% for the bi-flyback topology in Chapter 4. The bus voltage is also limited by a feedback mechanism that prevents elevated voltages and allows the use of common, commercially available, electrolytic capacitors. The proposed topology does not require any additional components to perform direct energy transfer. By adding only an input inductor to the flyback converter, the new topology can perform PFC and comply with the current regulations. The main modification is in the winding structure of the flyback transformer and the

placement of the components. The analysis was verified by simulation and experimental data. The measured efficiency of the converter approaches 87%, which makes it very competitive with the commercial, two-stage solution. The main challenge in the design was shifted to the construction of the center-tapped flyback converter. The converter's ability to transfer power directly to the output is proportional to the size of the main flyback transformer. It is possible to optimize the design of the proposed converter to make it suitable for many applications through the size versus performance study provided in this chapter.

As a future modification, the input inductor can be coupled to the output to construct a flyboost cell. While this will increase the complexity and cost of the converter, the input PF can be further enhanced and an overall efficiency improvement can be achieved.

CHAPTER 7 SUMMARY AND FUTURE WORK

7.1 Summary and Conclusions

The growing electronics industry imposes both a demand and an opportunity on the power electronics R&D to keep up with the current trends in the market. Rechargeable electronics is becoming an essential part of our daily life, and regulatory agencies along with utility companies realize the effect of poor power factor electronics. In order to comply with regulations and support the increasing demand, the power electronics industry has to come up with a suitable solution that is both cost effective and regulations compliant.

One example for a growing market segment is notebook computers. While demanding more functions and enhanced performance, the overall size and cost must stay appealing to consumers. Despite an increase in power requirements, the notebook adapter has to stay enclosed and safe, driving the need for higher efficiency. In order to have power densities in excess of 6W/in^3 , the minimum efficiency of the converter has to stay in the 85-87% range. In order to achieve this high efficiency with reduced cost, there is a need for more advanced topologies.

Throughout the previous dissertation, the need for clean power and its associated regulations was presented. A comprehensive survey of the current PFC approaches and control methods was reviewed. This review concluded

that while the two stage approach has superior performance in terms of efficiency and PFC, its high cost has overcome its attractive features especially for low power applications. On the other hand, the current structure of the single-stage approach has its own deficiencies that cause the intermediate bus capacitor to have high voltage rating, in addition to higher current and voltage stresses on the components. These inheriting problems in the single-stage structure can threaten the main justification for pursuing these converters, which is the cost advantage over the two stage topologies.

This dissertation presented a systematic approach to analyze and overcome the limitations in the single-stage topologies. The research showed that the direct energy transfer scheme can address all of these issues with no significant cost increase for the additional components. This scheme can be realized through many different circuit configurations. One method to implement the direct energy transfer is through employing a flyboost cell. The flyboost cell can process the input power directly to the output and clamp the voltage on the bus capacitor at the same time. Previously the power had to be processed twice, once through the PFC converter and another time through the primary converter to the output. Using the direct energy transfer, the power is processed directly to the output during a portion of the line cycle; this feature can enhance the efficiency in a considerable way.

Two new converters were analyzed in Chapters 3 and 4 that adopt the flyboost cell to enhance their performance. In Chapter 3, an Asymmetric Half

Bridge Converter (AHBC) was used in the DC-DC cell to test the ability of the single-stage converter to process medium to high power loads. Beside the narrow input voltage limitation on the original AHBC, the results proved that the modified converter was able to operate under universal line input voltage. On the other hand, the analysis showed that the duty cycle mismatch between the switches will result in high imbalance in the current stress between the switches. In conclusion, this topology was recommended for applications with narrower line voltage range.

In Chapter 4, the Bi-flyback topology was analyzed focusing on the single-stage approach for low power applications. A previous attempt to analyze this topology fell short in that a design procedure and design curves were not produced. Many characteristics of the converter were unknown. This led to a serious limitation in the performance and the application of this converter. The trade-offs between direct energy transfer, power factor performance, and semiconductors stress is needed for a proper design. The results from an earlier experiment showed the presence of double line frequency ripple on the output side. In Chapter 4, the converter was analyzed and the design curves and the design procedure were presented. In the design process, it was shown that the peak direct power delivered to the output should be controlled by design not to exceed the output power; otherwise the output voltage will be contaminated with voltage ripple at double line frequency. The design curves in chapter 4 also quantified the trade-offs

between bus voltage, the percentage of direct energy transferred to the output, semiconductor voltage and current stress, overall size of the magnetic component, power factor, and total harmonic distortion. This provides the designer a complete set of optimal design tools. On the other hand, the analysis revealed some limitations due to the dependency the input voltage and various design parameters. The experimental efficiency results approach 84%, while keeping tight output voltage regulation, limited bus voltage, and complying with PF and THD regulation limits.

In Chapter 5, a five-terminal switched inductor model was proposed and its generalized equations were derived. The proposed model is capable of modeling the single-stage PFC converters with more accuracy since it includes more terminals to accommodate its complex structure and the model also takes in consideration the leakage inductance of the transformer for more accurate time and frequency domain analysis. The proposed model was applied to the Bi-flyback and converter and its time domain waveforms match the switched simulation results with great accuracy and was more than fifty times faster. Small-signal analysis forms the basis for effective control loop design; the proposed model enables easy frequency response analysis for the single-stage PFC converters, an area that was overlooked in the past. The developed frequency response analysis show good agreement with the experimental results when applied to the Bi-flyback converter. It was concluded that the bi-flyback converter did not a bandwidth limitation

causing the double line frequency oscillation on the output voltage. Rather, it was related to the topology operation as explained in chapter 4. The mechanism presented in Chapter 5 enables rapid simulation and AC small signal analysis directly by the simulator for fast and comprehensive investigation of converter topology.

In Chapter 6, the proposed center-tapped flyback converter was analyzed and the design equations were derived. The proposed converter is capable of transferring more than 60% of the input power directly to the output while keeping tight output regulation, compared to only 50% for the bi-flyback topology in Chapter 4. The bus voltage is also limited by a feedback mechanism that prevents alleviated voltages and allows the use of commercially available electrolytic capacitors. The proposed topology does not require any additional components to perform direct energy transfer. By adding only an input inductor to the traditional flyback converter the new topology can perform PFC and comply with the current regulations. The main modification is in the winding structure of the flyback transformer and the placement of the components. The analysis was verified by simulation and experimental data. The measured efficiency of the converter approach 87% which make it very competitive with the commercial two-stage solution. The main challenge in the design was shifted to the construction of the center-tapped flyback transformer. The converter's ability to transfer power directly to the output is proportional to the size of the main flyback converter.

It is possible to optimize the design of the proposed converter to make it suitable for many applications through the size versus performance study performed in this chapter.

In conclusion, this dissertation provided in-depth analysis of 3 converters with direct energy transfer feature. The topology in chapter 6 has the highest efficiency numbers combined with minimum component count. The work also described a new switched transformer model that can be used for rapid simulation and ac analysis of single-stage PFC converters.

7.2 Future Research

In addition to the current regulatory requirements related to THD and PF, a new set of regulation is planned and might be enforced in the near future related to low power efficiency and performance. With the increased use of low power electronics, the total demand from the grid is increasing and a closer look is needed for the wasted energy during ideal time. Most of these devices are not in operation at full power most of the time. A weighted efficiency at different power level from 10% to 90% will be able to describe the amount of the expected wasted energy in a better way. To enhance the low power efficiency, a smarter controller and components are needed to be able to adapt to the load condition. Variable frequency control and modular construction approaches might aid in the optimization of the efficiency curve. The ability to recognize an idle condition and subsequently switch off unnecessary circuit parts is essential. A new set of regulatory requirements

will open the door for a new research area where university researchers, component manufactures, and OEMs can join forced to address these new challenges.

LIST OF REFERENCES

- [1] R. Redl, P. Tenti, and J. D. Vanwyk, "Power electronics polluting effects," *IEEE Spectrum*, pp. 32-39, 1997.
- [2] J. Mahdavi and M. Ehsani, "Power system harmonic control," in *Wiley Encyclopedia of Electrical and Electronics Engineering Online*, 1999.
- [3] I. Batarseh, *Power Electronic circuits*: John Wiley & Sons, Inc., 2003.
- [4] D. Zaninelli and A. Domijan, "IEC and IEEE standards on Harmonics and Comparison," *NSF Conference on power quality services*, 1996.
- [5] G. Senko and S. EMC, "Ac power line harmonic standards hold keys to usable electronic system," in *PCIM magazine*, 2000.
- [6] M. M.T, E. R.W, and E. H. Ismail, "Integrated high-quality rectifier-regulators," *IEEE Transactions on Industrial Electronics*, vol. 46, pp. 749 -758, 1999.
- [7] S. Luo, H. Wei, G. Zhu, and I. Batarseh, "Several schemes of alleviating bus voltage stress in single-stage power factor correction converters," *IEEE PEDS*, vol. 2, pp. 921 -926, 1999.
- [8] B. Sharifipour, J. S. Huang, P. Liao, L. Huber, and M. M. Jovanovic, "Manufacturing and cost analysis of power-factor-correction circuits," *Applied Power Electronics Conference and Exposition*, vol. 1, pp. 490 - 494, 1998.
- [9] K. Rustom and I. Batarseh, "Recent advances in single-stage power factor correction," *IEEE International Conference on Industrial Technology*, vol. 2, pp. 1089 - 1095, 2003.
- [10] J. M., D. Tsang, and F. C. Lee, "Reduction of voltage stress in integrated high-quality rectifier-regulators by variable frequency control," *Applied Power Electronics Conference and Exposition*, pp. 569–575, 1994.
- [11] R. Redl, L. Balogh, and N. O. Sokal, "A New Family of Single-stage Isolated Power-factor Correctors with Fast Regulation of the Output Voltage," *Power Electronics Specialists Conference*, pp. 1137–1144, 1994.
- [12] R. Redl and L. Balogh, "Design considerations for single-stage isolated power-factor-corrected power supplies with fast regulation of the output voltage," *Applied Power Electronics Conference and Exposition*, pp. 454–458, 1995.
- [13] Q. Zhao, F. C. Lee, and F.-S. Tsai, "Design optimization of an off-line input harmonic current corrected flyback converter," *Applied Power Electronics Conference and Exposition*, pp. 91–97, 1999.
- [14] F.-S. Tsai, P. Markowski, and E. Whitcomb, "Off-line flyback converter with input harmonic current correction," *Telecommunications Energy Conference, INTELEC* pp. 120-124, 1996.
- [15] L. Huber and M. M. Jovanovic, "Single-stage, single-switch, isolated power supply technique withinput-current shaping and fast output-

- voltage regulation for universal input-voltage-range applications," *Applied Power Electronics Conference and Exposition*, vol. 1, pp. 272-280, 1997.
- [16] L. Huber and M. M. Jovanovic, "Design optimization of single-stage single-switch input-current shapers," *IEEE Transactions on Power Electronics*, vol. 15, pp. 174 - 184, 2000.
- [17] J. Qian, Q. Zhao, and F. C. Lee, "Single-stage single-switch power-factor-correction AC/DC converters with DC-bus voltage feedback for universal line applications," *IEEE Transactions on Power Electronics*, vol. 13, pp. 1079-1088, 1998.
- [18] J. Sebastian, M. M. Hernando, A. Fernandez, P. J. Villegas, and J. Diaz, "Input current shaper based on the series connection of a voltage source and a loss-free resistor," *IEEE transactions on Industry Application* vol. 37, pp. 583 - 591, 2001.
- [19] J. Sebastian, M. M. Hernando, P. Villegas, J. Diaz, and A. Fontan, "A new input current shaping technique using converters operating in continuous conduction Mode," *Power Electronics Specialists Conference*, vol. 2, pp. 1330-1336, 1998.
- [20] J. Zhang, "Advanced Integrated Single-Stage Power Factor Correction Techniques," vol. PhD. Blacksburg: Virginia Polytechnic Institute and State University, 2001, pp. 278.
- [21] N. Vazquez, C. Hernandez, R. Cano, J. Antonio, E. Rodriguez, and J. Arau, "An efficient single-switch voltage regulator," *Power Electronics Specialists Conference*, vol. 2, pp. 811-816, 2000.
- [22] C. K. se, M. H. L. Chow, Cheung, and M.K.H., "A family of PFC voltage regulator configurations with reduced redundant power processing," *IEEE Transactions on Power Electronics*, vol. 16, pp. 794-802, 2001.
- [23] J. Sebastian, P. J. Villegas, F. Nuno, O. Garcia, and J. Arau, "Improving dynamic response of power-factor preregulators by using two-input high-efficient postregulators," *IEEE Transactions on Power Electronics*, vol. 12, pp. 1007-1016, 1997.
- [24] O. Garcia, J. A. Cobos, R. Prieto, P. Alou, and J. Uceda, "A new approach for single-stage AC/DC power factor correction converters with an improved energy processing," *Power Electronics Specialists Conference*, vol. 2, 1998.
- [25] O. Garcia, J. A. Cobos, R. Prieto, P. Alou, and J. Uceda, "Simple AC/DC converters to meet IEC 1000-3-2," *Applied Power Electronics Conference and Exposition*, vol. 1, pp. 487-493, 2000.
- [26] J. Y. Lee, "Single-stage power factor correction converter with parallel power processing for wide line and load changes," *Electronic Letters*, vol. 38, pp. 421-423, 2002.
- [27] Y. Jiang and F. C. Lee, "Single-stage single-phase parallel power factor correction scheme," *Power Electronics Specialists Conference*, vol. 2, pp. 1145 -1151, 1994.

- [28] Q. Zhao, M. Xu, F. C. Lee, and J. Qian, "Single-switch parallel power factor correction AC-DC converters with inherent load current feedback," *IEEE Transactions on Power Electronics*, vol. 19, pp. 928 - 936 2004.
- [29] S. Luo, W. Qiu, W. Wu, and I. Batarseh, "Flyboost Power Factor Correction Cell and a New Family of Single-Stage AC/DC Converters," *IEEE Transactions on Power Electronics*, vol. 20, pp. 25-34, 2005.
- [30] K. Rustom, W. W., W. Qiu, and I. Batarseh, "Asymmetry half bridge soft-switching PFC converter with direct energy transfer," *IEEE International Symposium on Circuits and Systems*, vol. 5, pp. 525 -528, 2002.
- [31] K. Rustom, W. W., W. Qiu, and I. Batarseh, "Asymmetric Half Bridge Soft-Switching PFC Converter with Direct Energy Transfer," *2002 IEEE Power Electronics Specialists Conference*, vol. 2, pp. 676-681, 2002.
- [32] W. W., W. Qiu, K. Rustom, S. Luo, and I. Batarseh, "Efficient High Power Factor Single-Stage AC/DC Converter," *IEEE Power Electronics Specialists Conference*, vol. 3, pp. 1143-1148, 2002.
- [33] W. W., W. Qiu, K. Rustom, S. Luo, and I. Batarseh, "Universal Input Single-Stage PFC AC/DC Converter with Reduced DC-Bus Voltage Stress," *IEEE Power Electronics Specialists Conference*, vol. 3, pp. 1351-1356, 2002.
- [34] P. Imbertson and N. Mohan, "New directions in DC-DC power conversion based on idealized concepts leading ultimately to the asymmetrical duty-cycle power converter," *IEEE Transactions on Circuits and Systems I: Fundamental Theory and Applications*, vol. 44, pp. 722 -727, 1997.
- [35] W. C., P. Xu, and F. C. Lee, "The optimization of asymmetric half bridge converter," *Applied Power Electronics Conference and Exposition*, vol. 2, pp. 703 -707, 2001.
- [36] T.-F. Wu, J.-C. Hung, S.-Y. Tseng, and Y.-M. Chen, "A single-stage fast regulator with PFC based on an asymmetrical half-bridge topology," *IEEE Transactions on Industrial Electronics*, vol. 52, pp. 139 - 150, 2005.
- [37] R. Miftakhutdinov, A. Nemchinov, V. Meleshin, and S. Fraidlin, "Modified asymmetrical ZVS half-bridge DC-DC converter," *Power Electronics Conference and Exposition*, vol. 1, pp. 567 -574, 1999.
- [38] S. Abedinpour, R. Liu, G. Fasullo, and K. Shenai, "Small-signal analysis of a new asymmetrical half-bridge DC-DC converter," *Power Electronics Specialists Conference*, vol. 2, pp. 843-847, 2000.
- [39] S. Korotkov, V. Meleshin, R. Miftahutdinov, and S. Fraidlin, "Soft-Switched Asymmetrical Half-bridge DC/DC Converter: Steady-State Analysis. An Analysis Of Switching Processes," *The Second*

- International Telecommunications Energy Special Conference*, pp. 177 - 184, 1997.
- [40] S. Korotkov, R. Miffakhutdinov, A. Nemchinov, and S. Fraidlin, "Asymmetrical half-bridge in a single-stage PFC AC/DC converter," *Applied Power Electronics Conference and Exposition*, vol. 1, pp. 484 - 488, 1997.
- [41] W. Qiu, "Flyboost derived single-stage power factor correction converter," in *College of Engineering and Computer Science*. Orlando: University of Central Florida, 2003.
- [42] S. Luo, W. Qiu, Wu.W., and I. Batarseh, "Flyboost Power Factor Correction Cell and Its Applications in Single-Stage AC-DC Converters," pp. 1375-1380, 2002.
- [43] R. Ridley, "Average small-signal analysis of the boost power factor correction circuit," *VPEC Seminar Proceedings*, 1989.
- [44] J. B. Williams, "Design of feedback loop in unity power factor AC to DC converter," *power Electronics Specialists Conference*, vol. 2, pp. 959-967, 1989.
- [45] S.-C. Wong, C. K. Tse, M. Orabi, and T. Ninomiya, "The method of double averaging: an approach for modeling power-factor-correction switching converters," *IEEE Transactions on Circuits and Systems I: Fundamental Theory and Applications*, vol. 53, pp. 454-462, 2006.
- [46] S. Cuk and R. D. Middlebrook, "A generalized unified approach to modeling switching DC-DC converters in discontinuous conduction Mode," *Power Electronics Specialists Conference*, pp. 36-57, 1977.
- [47] R. D. Middlebrook and S. Cuk, "A general unified approach to modeling switching-converter power stages," *IEEE Power Electronics Specialists Conference*, pp. 18-34, 1976.
- [48] J. Sun, D. M. Mitchell, M. F. Greuel, P. T. Krein, and R. M. Bass, "Averaged modeling of PWM converters operating in discontinuous conduction Mode," *IEEE Transactions on Power Electronics*, vol. 16, pp. 482-492, 2001.
- [49] A. Davoudi and J. Jatskevich, "Realization of parasitics in state-space average-value modeling of PWM DC-DC converters," *IEEE Transactions on Power Electronics*, vol. 21, pp. 1142-1147, 2006.
- [50] V. V., "Simplified Analysis of PWM Converters Using the model of the PWM Switch, Parts I (CCM) and II (DCM)," *Transactions on Aerospace and Electronics Systems*, vol. 26, 1991.
- [51] B. Erickson and D. Maksimovic, "A Primer on Simulation, modeling, and Design of the Control Loops of Switching Regulators," *Seminar, S12, IEEE Applied Power Electronics Conference*, 2003.
- [52] S. Ben-Yaakov, "Average simulation of PWM converters by direct implementation of behavioral relationships," *Applied Power Electronics Conference and Exposition*, pp. 510 -516, 1993.

- [53] Y. Amran, F. Huliehel, and S. Ben-Yaakov, " A unified SPICE compatible average model of PWM converters," *IEEE Transactions on Power Electronics*, vol. 6, pp. 585-594, 1991.
- [54] I. ZAFRANY and S. Ben-Yaakov, "Generalized switched inductor model (GSIM): accounting for conduction losses," *IEEE transactions on Aerospace and Electronics*, vol. 38, pp. 681-687, 2002.
- [55] D. Maksimovic, " Computer-aided small-signal analysis based on impulse response of DC/DC switching power converters," *IEEE Transactions on Power Electronics*, vol. 15, pp. 1183-1197, 2000.
- [56] A. Reatti and M. Balzani, " Computer aided small-signal analysis for PWM DC-DC converters operated in discontinuous conduction Mode," *Midwest Symposium on Circuits and Systems*, vol. 2, pp. 1561-1564, 2005.
- [57] W. Qiu, Wu.W., S. Luo, W. Gu, and I. Batarseh, "A Bi-flyback PFC converter with low intermediate bus voltage and tight output voltage regulation for universal input applications," *Applied Power Electronics Conference and Exposition*, pp. 256 -262, 2002.
- [58] G. Zhu, H. Wei, P. Kornetzky, and I. Batarseh, "Small-signal modeling of a single-switch AC/DC power-factor-correction circuit," *IEEE Transactions on Power Electronics*, vol. 14, pp. 1141-1148, 1999.
- [59] A. Uan-Zo-li and F. C. Lee, "modeling, Analysis and Control of Single-Stage Voltage Source PFC Converter," *Power Electronics Specialists Conference*, pp. 1408-1414, 2005.
- [60] T.-F. Wu and Y.-K. Chen, "modeling of single-stage converters with high power factor and fast regulation," *IEEE Transactions on Industrial Electronics*, vol. 46, pp. 585-593, 1999.
- [61] A. Uan-Zo-li, F. C. Lee, and J. P. Noon, "modeling and control of single-stage voltage-source and current-source PFC converters," *Applied Power Electronics Conference and Exposition*, vol. 3, pp. 1778-1783, 2004.
- [62] W. Eberle and Y.-F. Liu, "A zero voltage switching asymmetrical half-bridge DC/DC converterwith unbalanced secondary windings for improved bandwidth," *Power Electronics Specialists Conference*, vol. 4, pp. 1829-1834, 2002.
- [63] Y.-F. Liu and P. C. Sen, "A general unified large signal model for current programmed DC-to-DC converters," *Transactions on Power Electronics*, vol. 9, pp. 414-424, 1994.
- [64] K. Rustom, W. Qiu, C. Iannello, and I. Batarseh, " Unified flyback switching-cell model including the leakage inductance effects for SPICE simulation," *Power Electronics Specialists Conference*, vol. 3, pp. 1215 - 1219 2003.